





STEFANI SHULTZ COMMERCIAL SALES

MOBILE: 469-286-8128 STEFANI@COMM-FIT.COM



## STEFANI SHULTZ COMMERCIAL SALES

**CONTACT DETAILS:** 

MOBILE: 469-286-8128 STEFANI@COMM-FIT.COM

**QUICK FACTS:** 

**EDUCATION:** Texas State University, Bachelors of Science - Fashion

**TYPICAL WORKOUT:** Orange Theory, Yoga, Running, Riding Bikes, Strength Training

**HOBBIES:** Painting, Gardening, and Fashion



### WHY COMM-FIT?

Comm-Fit brings 250 years of combined knowledge and experience in the commercial fitness industry. We provide turnkey solutions to fitness facilities, including sales, service and maintenance of fitness equipment, sales and installation of flooring, and sales of disinfecting products and services.

Comm-Fit is the Leader in Innovative Fitness Facility Solutions

Thank you for giving Comm-Fit the opportunity to serve your fitness needs. I can assist you with everything from design, to equipment choice to flooring and facility disinfecting. I look forward to continue to be of service in any way I can for years to come!

In Health,

Stefani Shultz







### 4651 Sunbelt Dr., Addison, TX 75001

Phone: 469-286-8128 Fax: 972-620-7798

**Bill To:** 

**Keller Senior Activity Center** 

Kyle Cooper 660 Johnson Road Keller, TX 76244 United States of America

Phone

(817) 743-4052

Fax

### QUOTE

Number: AAAQ21199-02

**Date:** Apr 29, 2021

**QUOTES ARE VALID FOR 30 DAYS** 

### Ship To:

**Keller Senior Activity Center** 

Kyle Cooper 660 Johnson Road Keller, TX 76244

United States of America

**Phone** (817) 743-4052

Fax

	Sales	person	P.O	. Number	Installer		Terms	
	Stefani		Comm-Fit Deliver BUYBOARD #583-19		19			
Line	Qty	Item Number	er		Description	MSRP	Unit Price	Ext. Price
1	3	CRTL-ALLXX-	01	CYBEX R S	ERIES 50L TREADMILL	\$8,200.00	\$5,740.00	\$17,220.00
2	3	C50LT-XWXXX	-01		ERIES 50L TREADMILL LED, WIRELESS	\$0.00	\$0.00	\$0.00
3	2	CRRL-ALLXX-	01		ERIÉS 50L RECUMBENT	\$4,040.00	\$2,828.00	\$5,656.00
4	2	C50LB-XWXXX	-01		ERIES 50L BIKE LED, WIRELESS	\$0.00	\$0.00	\$0.00
5	2	CRATF-ALLXX-P		CYBEX R S TRAINER 5	ERIES TOTAL BODY ARC 0L (BASE)	\$8,240.00	\$6,180.00	\$12,360.00
6	2	C50LA-XWXXX	-01	CYBEX R SERIES 50L ARC CONSOLLED, WIRELESS		\$0.00	\$0.00	\$0.00
7	7	CR-WARRAN	ΓΥ	CYBEX R-S	ERIES WARRANTY 3/3 B2B	\$600.00	\$450.00	\$3,150.00
8	1	21400		STRENGTH	TOTAL ACCESS I (IFI ACCREDITED) - WITH I WEIGHT STACK CHEST	\$5,179.00	\$4,143.20	\$4,143.20
9	1	21410	21410 PRES STRE STAN		TOTAL ACCESS I (IFI ACCREDITED) - WITH I WEIGHT STACK I PRESS	\$5,071.00	\$4,056.80	\$4,056.80
10	1	21451		PRESTIGE TOTAL ACCESS STRENGTH (IFI ACCREDITED) - WITH STANDARD WEIGHT STACK LEG EXTENSION W/ START RLD		\$5,179.00	\$4,143.20	\$4,143.20
11	1	21461		PRESTIGE STRENGTH STANDARD	TOTAL ACCESS I (IFI ACCREDITED) - WITH WEIGHT STACK SEATED W/ START RLD	\$5,179.00	\$4,143.20	\$4,143.20

Continued On Next Page ...

COMM-FIT INSTALLATION REQUIREMENTS: STANDARD LEAD TIMES APPLY. WE ARE CURRENTLY EXPERIENCING LONGER THAN NORMAL LEAD TIMES. EQUIPMENT SHIPMENTS MAY TAKE UP TO 10-14 WEEKS.

CLIENT IS RESPONSIBLE FOR ENSURING JOB SITE IS CLEAN & READY FOR INSTALL. ELECTRICAL REQUIREMENTS MUST BE MET & ON AT TIME OF INSTALL. INSTALLATION CONFIRMED 14 DAYS PRIOR TO DELIVERY. ADDITIONAL FEES WILL APPLY FOR STORAGE, TRIP FEES & CHANGES AFTER CONFIRMATION. CONSULT YOUR SALES REPRESENTATIVE FOR DETAILED PRODUCT REQUIREMENTS.

TERMS: 50% DEPOSIT, BALANCE DUE BY DELIVERY OR PURCHASE ORDER. CUSTOM ORDERS & ORDERS BELOW \$5,000.00 REQUIRE PREPAYMENT. CREDIT CARD PAYMENTS SUBJECT TO A 3.5% TRANSACTION FEE. CANCELLATIONS SUBJECT TO 25% RESTOCKING FEE (100% FOR CUSTOM ORDERS). ORDER SUBJECT TO SALES TAX (IF APPLICABLE).



Line	Qty	Item Number	Description	MSRP	Unit Price	Ext. Price
12	1	21530	PRESTIGE TOTAL ACCESS STRENGTH (IFI ACCREDITED) - WITH STANDARD WEIGHT STACK LAT PULL	\$5,179.00	\$4,143.20	\$4,143.20
13	1	18000	FT-325 FUNCTIONAL TRAINER	\$4,855.00	\$4,126.75	\$4,126.75
14	1	18000-006	5 LB. DROP-ON INCREMENT WEIGHT FOR FUNCTIONAL TRAINING SYSTEMS	\$55.00	\$46.75	\$46.75
15	2	16001	CYBEX ADJUSTABLE 10 DEG TO 80 DEG BENCH	\$967.00	\$773.00	\$1,546.00
16	1	PRO1031-INT	SCIFIT PRO1000 UPPER BODY - ADJUSTABLE CRANKS - PREMIUM SEAT	\$5,300.00	\$3,975.00	\$3,975.00
17	1	SD-005-050R	TROY 5-50 LB RUBBER ENCASED DUMBBELLS (SET)	\$874.50	\$874.50	\$874.50
18	2	SD-003R	3 LB 8-SIDED RUBBER ENCASED DUMBBELL	\$6.36	\$4.77	\$9.54
19	2	SD-008R	8 LB 8-SIDED RUBBER ENCASED DUMBBELL	\$18.00	\$13.50	\$27.00
20	2	SD-012R	12 LB 8-SIDED RUBBER ENCASED DUMBBELL	\$26.00	\$19.50	\$39.00
21	1	GTDR-3	HORIZONTAL 3 TIER SHELF RACK. WILL STORE 15 PAIRS OF DUMBBELLS. 5LB-75LBS.	\$695.00	\$521.25	\$521.25
22	1	RCK-VERSA2	LOADED RACK W/ACC-55, 65 & 75; MEDBALL 6/8/10/12/15/20; ACC-EML(MATSX4); RKETL 5/8/10/12/15/20/25/30	\$1,755.50	\$1,316.63	\$1,316.63
23	1	FREIGHT	FREIGHT AND PROCESSING	\$0.00	\$6,077.00	\$6,077.00
24	1	DEL	INSTALLATION AND DELIVERY	\$0.00	\$4,916.00	\$4,916.00
25 26	1	PMA -1YR	PREVENTATIVE MAINTENANCE SERVICE - 1 YEAR FREE (2 VISITS) BUYBOARD #583-19	\$0.00	\$0.00	\$0.00
					SubTotal	\$82,491,02

**SubTotal** \$82,491.02

Tax % 0.0000

Total \$82,491.02

\$0.00

Signature Date

Please sign and email to stefani@comm-fit.com

or fax back to 972-620-7798.

Check Number: Date Received:

Deposit Amount	\$0.00
Amount Due	\$82,491.02

COMM-FIT INSTALLATION REQUIREMENTS: STANDARD LEAD TIMES APPLY. WE ARE CURRENTLY EXPERIENCING LONGER THAN NORMAL LEAD TIMES. EQUIPMENT SHIPMENTS MAY TAKE UP TO 10-14 WEEKS.

CLIENT IS RESPONSIBLE FOR ENSURING JOB SITE IS CLEAN & READY FOR INSTALL. ELECTRICAL REQUIREMENTS MUST BE MET & ON AT TIME OF INSTALL. INSTALLATION CONFIRMED 14 DAYS PRIOR TO DELIVERY. ADDITIONAL FEES WILL APPLY FOR STORAGE, TRIP FEES & CHANGES AFTER CONFIRMATION. CONSULT YOUR SALES REPRESENTATIVE FOR DETAILED PRODUCT REQUIREMENTS.


TERMS: 50% DEPOSIT, BALANCE DUE BY DELIVERY OR PURCHASE ORDER. CUSTOM ORDERS & ORDERS BELOW \$5,000.00 REQUIRE PREPAYMENT. CREDIT CARD PAYMENTS SUBJECT TO A 3.5% TRANSACTION FEE. CANCELLATIONS SUBJECT TO 25% RESTOCKING FEE (100% FOR CUSTOM ORDERS). ORDER SUBJECT TO SALES TAX (IF APPLICABLE).





The leader in innovative fitness facility solutions

5/3/21 Stefani Shultz Keller Senior Center Quote# V1\_AD



Clear Ceiling Height Minimum: 10ft

#### **EQUIPMENT LEGEND**

### Cardio

- c1. Treadmill
- c2. Elliptical
- c3. Recumbent
- c4. Ube

### Free Weights / Functional

- f1. Dual Adjustable Pulley
- f2. Adjustable Bench
- f3. Dumbbell Rack
- f4. Smart Rack

### Selectorized

- s1. Chest Press
- s2. Overhead Press
- s3. Lat Pull
- s4. Leg Extension
- s5. Leg Curl

APPROXIMATION OF FLOOR AREA





At least one of each type of exercise equipment must have clear floor space of 30" x 48" and a slope of 2%.

### **ASTM GUIDELINES**


The minimum spacing recommendations below are based on a combination of the ASTM (U.S.) voluntary standards and EN (European) regulations as of October 1, 2012, for access, passage around, and emergency dismount:

**Treadmills:** A minimum of 0.5 m (19.7 in.) on each side of the treadmill and 2 m (78 in.) behind the machine.

**Cardio Other Than Treadmills:** A minimum of 0.5 m (19.7 in.) on at least one side, and 0.5 m (19.7 in.) behind or in front of the machine.

### MANUFACTURERS SPACING GUIDELINES

The manufacturer suggests 78" of clearance behind the treadmill.





# R Series Treadmill



Interval Training Zone allows exercisers to easily change speed at the touch of a button.



The optional Service Wheel allows for the treadmill to be moved easily during equipment rotation and routine maintenance.



### **FACILITY MANAGEMENT**

Optional internet connection provides detailed equipment use information, exerciser insights and preventive maintenance alerts. Connection also enables remote equipment monitoring, which allows our knowledgeable technicians to alert you in the rare case of a problem, often before you know one exists.



SPECIFICATIONS		
Product Name	R Series Treadmill	
Dimensions (L × W × H)	83" x 36" x 62.5" (210 x 91.5 x 159 cm)	
Speed	0.5 - 14 mph (0.8 - 23 kph)	
Incline Levels	0% - 15%	
Belt (L × W)	60" x 22" (152 x 56 cm)	
Running Area (L × W)	60" x 21" (152 x 52.5 cm)	
Max User Weight	400 lbs (181 kg)	
Drive	4.0hp (8.0hp Peak) AC Motor	
Power	120V, 20A or 230V, 10A (varies by country) outlet with dedicated line, neutral, ground wires and dedicated circuit breaker Japan: 100V, 20A or 200V, 10A outlet with dedicated line, neutral, ground wires and dedicated circuit breaker.	
Entertainment Options	MYE and attachable TV option for 50L Console	
Charging	USB port for software updates & device charging	
Compliance	TUV CUE certificate to UL1647, CSA C22.2-60335-1, IEC60335-1; EN ISO 20957-1, EN 957-6, FCC Class A (domestic), CE General Product Safety, Low Voltage, EMC and RoHS Directives, ASTM	
Heart Rate Monitoring	Contact Ergo Handles	
Safety	Emergency Stop System and Safety Stop Pull Cord	
Color	Platinum Sparkle	
Warranty	Mechanical: 1 year Labor: 1 year Cosmetics: 6 months Frame and motor: 7 years	




## R Series

### **Arc Trainer**



### **LOWER BODY OPTION**

Stationary arms allow for exercisers to concentrate on powerful lower-body workouts.



### **FACILITY MANAGEMENT**

Standard internet connection provides detailed equipment use information, exerciser insights and preventive maintenance alerts. Connection also enables remote equipment monitoring, which allows our knowledgeable technicians to alert you in the rare case of a problem, often before you know one exists.



Product Name	R Series Arc Trainer	
Dimensions (L × W × H)	81" x 32" x 57" (205 x 82 x 145 cm)	
Max User Weight	400 lbs (181 kg)	
Power	120V, 20A or 230V, 10A (varies by country) outlet with dedicated line, neutral, ground wires and dedicated circuit breaker	
Console Options	70T Console: Touchscreen with integrated TV 50L Console: Intuitive console with bright LED display	
Base Options	Lower body with stationary arms Upper body with moving arms	
Heart Rate Monitoring	Contact handles	
Compliance	TUV CUE certificate to UL1647, CSA C22.2-60335-1, IEC60335-1; EN ISO 20957-1, EN 957-6, FCC Class A (domestic), CE General Product Safety, Low Voltage, EMC and RoHS Directives, ASTM	
Color	Platinum Sparkle	
Warranty	Mechanical: 2 years Labor: 1 year Cosmetics: 6 months Frame and motor: 7 years	



## R Series

### **R Series Recumbent Bike**



Wraparound seat adjustment for quick and easy positioning.



Easily adjustable pedal straps.



### **FACILITY MANAGEMENT**

Easily connect to the LFconnect.com for detailed equipment use information, exerciser insights and preventive maintenance alerts. Connection also enables LFconnect Protect remote equipment monitoring, which allows our knowledgeable technicians to alert you in the rare case of a problem, often before you know one exists.



PECIFICATIONS		
Product Name	R Series Recumbent	
Dimensions (L × W × H)	66" x 26.5" x 45.2" (167 x 67.3 x 115 cm)	
Power Range	20-900+ Watts	
Resistance Levels	25	
Drive Type	Generator drive system with 8-ribbed poly-V belt for smooth, quiet operation with low maintenance	
Max User Weight	400 lbs (181 kg)	
Power	Self Powered 12V (50L console only) Auto Start: Brings power to console when user begins pedaling The base is configured for both 120V/15A/60Hz and 230V/10A/50Hz	
Entertainment Options	MYE and attachable TV option for 50L console	
Heart Rate Monitoring	Contact grips on handlebars	
Compliance	TUV CUE certificate to IEC60335-1; CSA C22.2-60335-1, EN ISO 20957-1, EN ISO 20957-5 (bikes), FCC Class B (domestic), CE General Product Safety, Low Voltage, EMC and RoHS Directives, ASTM	
Color	Platinum Sparkle	
Warranty	Mechanical/electrical: 2 years Labor: 1 year Cosmetics: 6 months	



### R Series

### **50L Console**

A simplified experience allows exercisers to get started with their cardio workouts quickly and efficiently.

#### **FEATURES**

- Bright LED display is easy to read
- Six preset workouts and a quick start feature
- Large buttons for easy adjustments on the fly
- Preset resistance buttons for easy selection during interval training (Arc Trainer and Bikes only)
- QR code enables workout tracking through the LFconnect app





### **FACILITY MANAGEMENT**

Easily connect to LFconnect.com for detailed equipment use information, exerciser insights and preventive maintenance alerts. Connection also enables LFconnect Protect remote equipment monitoring, which allows our knowledgeable technicians to alert you in the rare case of a problem, often before you know one exists.



## **SEYBEX**®

Display	LED
Navigation	Large membrane buttons
Readouts	Treadmill: Speed, Time, Distance, Heart Rate, Calories, Incline, Pace Bikes: Speed, Time, Distance, Heart Rate, Calories, Watts, Resistance, RPM Arc Trainer: Incline, Time, Distance, Heart Rate, Calories, Watts, Resistance, SPM
Workouts	Treadmill: Speed Bump, Rollers, Peaks, Hill Interval, Rolling Hills, Interval Plus Bikes: Calorie Burner, Advanced Burner, Peaks, Ramps, Bursts, Waves Arc Trainer: Quick Start, Hill Climb, High Intensity Interval, Elevated Interval, Endurance, Power Blast, Interval Burn
Languages	Universal
Wireless Connectivity	Yes
USB Port	For software updates and device charging
Asset Management	Through LFconnect.com (with internet connection)
Attachable TV	Optional

### **Overhead Press**

The 12-piece Total Access line not only meets, but exceeds Inclusive Fitness Initiative (IFI) standards. Providing fitness facilities with a complete cardio and strength solution that accommodates exercisers of all abilities to train in a safe, controlled environment.

#### **FEATURES**

- Swing away seat with locking plunger adjustment:
   Allows easy access for wheelchair users and one-handed seat adjustment for users with limited mobility.
- Choice of upper and lower handle positions: Caters to wheelchair users, shorter users and those with reduced balance.
- Counterbalanced input arm: With 5.5 lb (2.5 kg) start weight allows all users with low starting resistance for single arm (unilateral) use.

#### **USER AMENITIES**



 Placards: Large type instructions and easy-to-understand graphics guide proper set-up, movement, and muscles trained.



Smartphone/tablet holder: Your mobile device is safe and secure with our adjustable clip, designed for all smartphones and tablets. Simply clip in and go.



Water bottle/towel holder: Keep your water and towel within arm's reach with our convenient water bottle and towel holder, standard on every Prestige machine.



 Twist select incremental weight system: Allows ease of weight selection from seated exercise position.



Product Number	21410
Dimensions L×W×H	61 ″ × 59 ″ × 64 ″ (156 cm × 150 cm × 163 cm)
Standard Stack	165 lb (75 kg)
Heavy Stack	205 lb (93 kg)
Standard Weight	450 lb (205 kg)
Heavy Weight	490 lb (223 kg)
Color	Available in 15 frame colors or a virtually unlimited variety of custom colors, 33 upholstery colors and 4 enclosure styles



### **Row/Rear Delt**

The 12-piece Total Access line not only meets, but exceeds Inclusive Fitness Initiative (IFI) standards. Providing fitness facilities with a complete cardio and strength solution that accommodates exercisers of all abilities to train in a safe, controlled environment.

### **FEATURES**

- Locking plunger adjustment on swing away seat: Allows easy access for wheelchair users and one-handed seat adjustment for users with limited mobility.
- Choice of upper and lower handle positions: Caters to wheelchair users who cannot adjust seat height, shorter users and those with reduced balance, who can then maintain full foot contact with the floor.
- **Eight position reversible chest pad:** Ensures a full range of movement is achieved by both tall and short users.

#### **USER AMENITIES**



 Placards: Large type instructions and easy-to-understand graphics guide proper set-up, movement, and muscles trained.



Smartphone/tablet holder: Your mobile device is safe and secure with our adjustable clip, designed for all smartphones and tablets. Simply clip in and go.



Water bottle/towel holder: Keep your water and towel within arm's reach with our convenient water bottle and towel holder, standard on every Prestige machine.



Twist select incremental weight system: Allows ease of weight selection from seated exercise position.



Product Number	21430
Dimensions L × W × H	51 ″ × 46 ″ × 76 ″ (130 cm × 117 cm × 193 cm)
Standard Stack	245 lb (111 kg)
Heavy Stack	305 lb (138 kg)
Standard Weight	460 lb (209 kg)
Heavy Weight	520 lb (236 kg)
Color	Available in 15 frame colors or a virtually unlimited variety of custom colors, 33 upholstery colors and 4 enclosure styles

### **Leg Extension**

The 12-piece Total Access line not only meets, but exceeds Inclusive Fitness Initiative (IFI) standards. Providing fitness facilities with a complete cardio and strength solution that accommodates exercisers of all abilities to train in a safe, controlled environment.

### **FEATURES**

- Sliding adjustment for shin pad length: Easily adjusts with one hand.
- Spring loaded seat back adjustment lever: Can be adjusted either from on or off the equipment. The push down lever is easy to operate for users with limited grip.
- Raised numbers and large font on Range Limited Device:
   Makes start position easier to adjust and identify for visually impaired and older users.
- Optional step: Not included.

#### **USER AMENITIES**



 Placards: Large type instructions and easy-to-understand graphics guide proper set-up, movement, and muscles trained.



Smartphone/tablet holder: Your mobile device is safe and secure with our adjustable clip, designed for all smartphones and tablets. Simply clip in and go.



Water bottle/towel holder: Keep your water and towel within arm's reach with our convenient water bottle and towel holder, standard on every Prestige machine.



 Twist select incremental weight system: Allows ease of weight selection from seated exercise position.



1451
9″ × 41″ × 58″ 124 cm × 104 cm × 147 cm)
45 lb (111 kg)
05 lb (138 kg)
665 lb (257 kg)
25 lb (284 kg)
wailable in 15 frame colors or a virtually inlimited variety of custom colors, 33 ipholstery colors and 4 enclosure styles



### **Seated Leg Curl**

The 12-piece Total Access line not only meets, but exceeds Inclusive Fitness Initiative (IFI) standards. Providing fitness facilities with a complete cardio and strength solution that accommodates exercisers of all abilities to train in a safe, controlled environment.

### **FEATURES**

- Five position adjustable calf pad: Accommodates different lower leg lengths.
- Thigh pad hold-down mechanism: Allows the thighs to be secured above the knee for reduced shear force on the knee joint while keeping it in a stable position.
- Raised numbers and large font on Range Limited Device:
   Makes start position easier to adjust and identify for visually impaired and older users.
- Optional step: Not included.

#### **USER AMENITIES**



- Placards: Large type instructions and easy-to-understand graphics guide proper set-up, movement, and muscles trained.
- 4
- Smartphone/tablet holder: Your mobile device is safe and secure with our adjustable clip, designed for all smartphones and tablets. Simply clip in and go.



Water bottle/towel holder: Keep your water and towel within arm's reach with our convenient water bottle and towel holder, standard on every Prestige machine.



Twist select incremental weight system: Allows ease of weight selection from seated exercise position.



Product Number	21461
Dimensions L × W × H	56 " × 39 " × 58 " (142 cm × 99 cm × 147 cm)
Standard Stack	165 lb (75 kg)
Heavy Stack	205 lb (93 kg)
Standard Weight	535 lb (243 kg)
Heavy Weight	575 lb (261 kg)
Color	Available in 15 frame colors or a virtually unlimited variety of custom colors, 33 upholstery colors and 4 enclosure styles



### **Lat Pull**

The 12-piece Total Access line not only meets, but exceeds Inclusive Fitness Initiative (IFI) standards. Providing fitness facilities with a complete cardio and strength solution that accommodates exercisers of all abilities to train in a safe, controlled environment.

#### **FEATURES**

- Locking plunger adjustment on swing away seat: Allows easy access for wheelchair users and one-handed seat adjustment for users with limited mobility.
- Lever-operated single arm handle height adjustment: Allows the bar to be adjusted for shorter and wheelchair users down to 55 " (140 cm) start height from a seated position.
- Adjustable knee restraint and seat height: Allows shorter users and others with reduced trunk stability to maintain full flat foot contact with the floor. This permits correct pelvic positioning and avoids a round back during exercise.

### **USER AMENITIES**



- Placards: Large type instructions and easy-to-understand graphics guide proper set-up, movement, and muscles trained.
- **\_**
- Smartphone/tablet holder: Your mobile device is safe and secure with our adjustable clip, designed for all smartphones and tablets. Simply clip in and go.



Water bottle/towel holder: Keep your water and towel within arm's reach with our convenient water bottle and towel holder, standard on every Prestige machine.



Twist select incremental weight system: Allows ease of weight selection from seated exercise position.



Product Number	21530
Dimensions L×W×H	55 " × 55 " × 90 " (140cm × 140 cm × 230 cm)
Standard Stack	245 lb (111 kg)
Heavy Stack	305 lb (138 kg)
Standard Weight	475 lb (216 kg)
Heavy Weight	535 lb (243 kg)
Color	Available in 15 frame colors or a virtually unlimited variety of custom colors, 33 upholstery colors and 4 enclosure styles





### FT-325

### **Functional Training System**

The truly innovative Bravo™ Functional Training System combines unique technologies and the best aspects of selectorized and cable-based strength training equipment to offer simple, safe operation, expanded functionality and better results.

#### **FEATURES**

- Solid, sturdy, rugged: The same words that describe the
  fittest athletes also apply to our powerful functional trainer.
  One look at the Cybex FT-325 tells you that it's built to handle
  the punishment dished out by a steady stream of users in a
  wide range of facilities from compact corporate and hotel
  exercise rooms to firehouses, police stations, and school
  fitness centers.
- Make it yours: You can match the Cybex FT-325 to the décor and color palette of your facility. Choose from standard, duo-tone, or a virtually unlimited selection of custom colors to make a dramatic branding statement with this dynamic functional trainer.
- Dual weight stack: Two weight stacks allow for fully independent motion and asymmetrical loads for single users, or individual stations for two users.
- **Cable adjustment:** 21 selectable positions allow cable positioning for an extraordinary variety of exercises.
- **Instructional placards:** Cleary illustrated placards show some of the more popular exercise movements.
- Dedicated accessories: Standard accessories include two strap handles, an ankle cuff, and a triceps rope. An optional lat pull bar is also available for even more versatility.



Product Number	18000
Dimensions L × W × H	34 ″ × 67 ″ × 83.5 ″ 86 cm × 170 cm × 212 cm
Weight Stacks	170 lbs (77 kg)
Machine Weight	695 lbs (315 kg)
Lifting Ratio	2:1
Color	Available in 15 frame colors or a virtually unlimited variety of custom colors and 33 upholstery colors



## Free Weights

### Adjustable -10 to 80° bench

The Cybex Free Weight equipment line complements the entire range of Cybex strength products. The sleek design seamlessly integrates the products into your facility's environment and provides the Cybex brand identity to your members value in strength equipment.

#### **EXTREME STRENGTH**

An effective training option every gym needs. Cybex Free Weights look good and are constructed for ease of use. They share the same design elements as Cybex Selectorized and Cybex Plate Loaded equipment for the ultimate in a well-designed gym.

- · Cybex science and design in a free weight line.
- · Who said hard core has to be intimidating?
- Built tough to keep looking new.

### **FEATURES**

- Back pad has eight positions from -10° to 80°.
- Seat pad provides three positions from 0° to 20°.
- Features include wheels and a handle for easy moving that doubles as a footrest.



### **SPECIFICATIONS**

Product Number
Dimensions
L × W × H
Machine Weight

16001 57" × 26" × 17" (145 cm × 65 cm × 44 cm)

74 lb (34 kg)

Available in 15 frame colors or a virtually unlimited variety of custom colors and 33 upholstery colors





Upper Body Exerciser Product Specifications

### **Prescribed for Progress™**

Order Code: PRO1031-INT



### PRO1000 Upper Body Exerciser Product Specifications

		_		
ь.	- /	١Τ	 v	<b>-</b> ✓

Upper body exercise	Helps strengthen arms and shoulders; recruits core stabilizing muscles		
	Pedaling in forward and reverse provides versatility, helps prolong exercise and promore reciprocal muscle balance		
Low starting resistance	6 watts		
Resistance range	191 levels of resistance - 20 levels adjustable in .1 increments		
Resistance system	3 phase combination generator & eddy current brake - largest watt range in the industry		
Foot rests	Foot rests included for comfort and multiple foot placement options		
Easy to transport	Integrated transport wheels		
Heart rate monitoring	Telemetric (chest strap required)		

### ACCESSIBILITY & ADJUSTABILITY (3)



Adjustable arm cranks	3 length settings for custom fit and range of motion training
Step-through seating	Adjustable step-through allows easy entry and safe and easy access for all users
Direct wheelchair access	Seat slides off for direct wheelchair access - ADA compliant
Premium seat	Seat adjusts up/down, forward/back, swivels and reclines
360° Therapist Assist Pedals	Adjust the seat forward and back from any point around the machine
Seat Recline	Recline to any point within a 23 degree range
Seat Swivel	360 degree swivel that locks at each 90 degrees for safety
Seat height adjustment	Select seat height anywhere from 18.5"-23"
Seat removal handle	Integrated handle on seat back makes it easy to remove the seat
Accessible adjustment levers	Reach all adjustment levers from both sides of the seat
Zero-sloping forward/back seat adjustment	Adjust forward and back on level monorail for optimum control and safe positioning

### INTELLI-FIT™ CONSOLE

7" LCD full color touch screen display	Touch screen with clear, simple screens and large, readable font.
Audible beep	Yes
Tactile buttons	Tactile buttons in addition to touch screen
Resistance levels	191 levels of resistance - 20 levels adjustable in .1 increments
Display feedback	Time, level, distance, METs, heart rate, calories, RPM, watts
One touch quick start	: Yes
Control METs - Constant Work Program	Set constant METs level and the workload remains constant throughout the program.
Iso-Strength Program	Isokinetic program for safe, accommodating resistance
Power Burst	8-second burst of high intensity training
Cool down	Automatic cool down begins after each exercise is completed
Administrative mode	User defined settings, metric or US units of measure and other custom settings



PRO1000 Upper Body Exerci	ser Product :	Specifications (co	nt.)	Order Code: PRO1031-IN
INTELLI-FIT™ CONSOLE (cont.)				12.77E.1.8
User-defined console languages	9 languages - I	English, Spanish, French, Ger	man, Russian, Ja	apanese, Chinese, Italian, Dutch
Download results to USB flash drive	Plug USB flash	drive into the Fit-Key® slot to	save workout	results in a .txt file
CSAFE port and 8-volt DC power port	Yes			
USB charger	For phones an	d other electronic devices		
Water bottle holder, accessory tray, reading rack	Integrated	Integrated		
Personal Cooling Fan	Integrated dua	al fans with three speeds	••••	
Programs	Quick Start	Constant Work - METs	Hills	Heart Fit Test & Training
	Manual	Constant Work - Watts	Fit-Quik®	Power Fit Test & Training
	Heart Rate	Iso-Strength	Random	Stress Test
TECHNICAL SPECIFICATIONS				Charles The Co
Power Requirements	: : Self-generatin	g; low-voltage AC adapter, ir	ncluded	
Maximum user weight capacity	450 lbs.			
Unit weight	239 lbs.			•••••
Unit size	61"L x 30"W x 62"H			
Color	Frame: Charcoal Cover: Cool Gray			
Manufacturing	Assembled in USA			
WARRANTY				3 3
Parts	3 years			
Labor	1 year			
ENHANCEMENTS				- TI - 3
Fit-Key® software	Optional Fit-K	ey® software makes it easy to	create speciali	zed programs and track data
Entertainment options	Yes			
ACCESSORIES				Carl Thus R
Assist Gloves	Designed for individuals who require help gripping the hand cranks. Made of heavy-duty closed cell foam that resists moisture. Flexible, comfortable and easy to clean.			
Straight Grips	For those who have spasticity, weakness, or tremors in their upper extremities.			
Wheelchair Platform	<b>.</b>	Provides a sturdy foundation for wheelchair use, includes tethers for stabilization.		
Heavy-Duty Wheelchair Ramps	· · · · · · · <del>!</del> · · · · · · · · · · · · · · · · · · ·	For manual and powered wheelchair access. Provides increased stabilization		
Polar Chest Strap	Transmits hea	rt rate directly to console - w	orks on all SCIF	IT products
Seat Belt		at belt for added security and ed. Fits Premium seat only.	d stability. Easy 1	to attach and remove. Storage

### $xR6000 \ Specifications \quad \bullet \ Standard \quad \circ \ Optional$

Step-through design  Oversized soft grip pedals  Stationary footpegs  Seat height adjustments  Seat tilt adjustments  MultiGrip™ handlebars  Stationary handlebars  Stationary handlebars  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready  (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capaciti Scr	
Oversized soft grip pedals  Stationary footpegs  Seat height adjustments  Seat tilt adjustments  Seat tilt adjustments  Seat tilt adjustments  MultiGrip handlebars  Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3 Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+** and Polar*)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE*  CONSOLE OPTIONS  Smart (pg. 40)  Sagractiti scr	•
Stationary footpegs  Seat height adjustments  Seat tilt adjustments  Seat tilt adjustments  MultiGrip** handlebars  Stationary handlebars  Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+** and Polar*)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE*  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic scr	•
Seat height adjustments  Seat tilt adjustments  MultiGrip™ handlebars  Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready  (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic scr	•
Seat tilt adjustments  MultiGrip™ handlebars  Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3 Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic scr	•
MultiGrip™ handlebars  Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3 Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic  Scr  Large LE	20
Stationary handlebars  Phone holder  Water bottle holder  Tablet/reading rack**  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+** and Polar*)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE*  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic scr	•
Phone holder  Water bottle holder  Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3 Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic scr	•
Water bottle holder Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3 Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitit scr  Large LE	•
Tablet/reading rack*  Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capacitic  Scr	•
Transport wheels  Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Capaciti scr	•
Moving handlebar lock-out option  Pedal straps  ELECTRONIC FEATURES  Resistance levels  3  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)	•
Pedal straps  ELECTRONIC FEATURES  Resistance levels  3  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Capacitic scr  Large LE	•
ELECTRONIC FEATURES  Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  10" (2! capaciti scr	0
Resistance levels  Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Smart Large LE	0
Digital contact heart rate on stationary handlebars  Wireless heart rate ready (ANT+*** and Polar**)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE**  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Large LE	
on stationary handlebars  Wireless heart rate ready (ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)	10
(ANT+™ and Polar®)  Fingertip controls on stationary handles  Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Smart (pg. 40)  Large LE	•
Console fan (3 speeds)  Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Large LE	•
Self-powered (standard console only)  Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Capaciti Scr Large LE	•
Mobile device charging via USB port  Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Capaciti  Scr  Large LE	•
Replaceable headphone jack  CSAFE®  CONSOLE OPTIONS  Smart (pg. 40)  Large LE	•
CSAFE®  CONSOLE OPTIONS  10" (2! capaciti scr Large LE	•
CONSOLE OPTIONS  10" (25 Capaciti scr Large LE	•
10" (2! Smart (pg. 40) capaciti scr Large LE	Þ
Smart (pg. 40) capaciti scr Large LE	
	5.4 cm) ve touch een
Standard (pg. 40) with int capacitiv	tegrated <sup>°</sup>
ENTERTAINMENT OPTIONS	
	0

Wireless 900 Mhz (pg. 41)

WORKOUTS	
Number of programs	14
PRESET PROGRAMS	
Manual	•
Random	•
Interval	•
Hill	•
Distance goal	•
Calorie goal	•
HEART RATE-CONTROLLED	PROGRAMS
Fat Burn	•
Heart Rate Interval	•
Heart Rate Hill	•
Heart Rate Speed Interval	•
ADVANCED PROGRAMS	
30:30 Interval	•
MMA	•
Constant Watts	•
Constant METs	•
WORKOUT BOOSTERS	
X-Mode™	•
Leg Press	•
Chest Press	•
PRODUCT SPECIFICATION	IS
Max user weight	400 lbs (181 kg)
Footprint (W x L)	35" x 72" (89 cm x 182 cm)
Product weight	320 lbs (145 kg)
WARRANTY	
Frame	Lifetime
Parts	3 years
Labor	1 year



### **8 Sided Rubber Encased Dumbbells**

Item SKU: SD-R

Product/Shipping Weight: Per Order Request

**Product Options:** 

Available In :3 lb., 5 lb., 8 lb., 10 lb., 12 lb., and 15 lb. through 100 lb. in 5 lb. increments.



### 3-Tier Dumbbell Shelf Rack

Item SKU: GTDR-3

**Product Dimensions:** 

Product/Shipping Weight:

240 lbs. LWH: 62 1/4" x 28" x 40 1/2"





### RCK-VERSA RACK™

- 2x2 Steel 12 Gauge Upright w/ Mounting Holes every 2" for Complete Adjustability
- Trays can hold 5-30# Hex Dumbbells Load Trays w/Slam Balls, Kettlebells, Dumbbells, Foam Rollers, Yoga Mats, etc.
- Holds Mat w/ Grommets 19" on Center up to 71" Long
- Hoops hold Medicine Balls, Wall Balls, Slam Balls, Etc.
- · Stability Ball Holders also hold Bosu Balls
- Welded Endcaps
- Patent Pending
- Lifetime welds, one year parts
- Size: 72" Wide x 79" Tall x 33" Deep 120 lbs (pictured & sold separately - accessories &/or rack)

### Standard Package - RCK-VERSA1

Versa Rack Stability Balls (55, 65 & 75cm) Medicine Balls (6/8/10/12/15/20) Hex Dumbbell Pairs (5/10/15/20/25) Fitness Mats 24"x71" - 4 each

### CREATE YOUR OWN PACKAGE!









