This shed project was started due to a need to have space for storage for our ever-growing collection of children's toys and activities, anticipation of the children's activities to expand and utilize larger equipment, storage of a boat, which had the block crack during a winter freeze, and cover a well which has had the pump fail twice in the past five years. The location of the shed project was determined based on the location of the well, where our neighbor had their property line professionally marked, the position of the mature trees on our property and access for what is anticipated to be stored in it. It was presumed nothing was needed as there was an existing structure that would benefit from some updates and thus, no permit was obtained prior to starting the project as the shed project would be in the same location on the property and the existing shed would be removed as the new shed was built in its place.

The request to have more than the allotted square footage for the structures is so the existing area where a vehicle is parked remains covered as the vehicle is not intended to be parked inside the shed. This structure was here when we purchased the home, has protected the vehicle from hail and blends with the property. The amount over the allotted square footage is 177.5 square feet which is less than 8% of the square footage of our home.





1937 Bedford Rd., Bedford, TX 76021

Metro (817) 267-0750

FAX (817) 354-0954

December 16, 2024

Matthew Fleetwood 1401 Summer Breeze Ct. Keller, TX 76262

Re: New Outbuilding 1401 Summer Breeze Ct., Keller, TX

Dear Mr. Fleetwood:

Please find enclosed a foundation plan for a new outbuilding at the above referenced residence.

The foundation was designed based for a 5 psf snow load, a 20 psf roof live load and a ASCE 7-10 Wind Speed (3-sec peak gust MPH) Risk Category II: 105 wind load in accordance with the 2021 International Building Code.

All construction conforms to the 2021 International Building Code and the City of Keller requirements.

If you have any questions or if I may be of further service, please contact this office.

Sincerely,

BBS Consultants, Inc.

William N. Bowen II, President Registered Professional Engineer TBPE Firm #: 4345

Enclosure: 1. Drawing F1 of F1





- GENERAL NOTES:
- Construction details and framing shall conform to the 2021 International .Building Code and City of Keller, TX.
- \mathbf{N}
- ω Soil Parameters:
- Table 1806.2 (IBC Number 5:

- GRADE-COLUMN-24"



Poured in place concrete is to be normal weight and is to develop a compressive strength F'c of 3000 psi at 28 days. Allowable foundation bearing pressure: 1500 psf. Allowable lateral bearing pressure: 100 psf. COUSTER OF The MONAL/ Eine 1111 2021) and assuming Material Classification JAM N. 36201 12-16-24 THE REAL FOR THE R GRADE -COLUMN-36" DATE: Structural Engineers DETAIL (B) SCALE: AS NOTED **TBPE firm #4345 BBS** Consultants 12/ FOUNDATION PLAN, DETAILS AND NOTES 12110 1111 16/24 1401 SUMMER BREEZE CT. KELLER, TX MATTHEW FLEETWOOD APPROVED BY: W.N.B. PRAWING NUMBER

12110









NOTES:

THE PROJECT IS AN EXISTING SINGLE FAMILY RESIDENTIAL PROPERTY OF APPROXIMATELY 0.55 ACRES. THE PURPOSE OF THE DRAINAGE ANALYSIS IS TO COMPLY WITH CITY OF KELLER PLATTING AND BUILDING PERMIT REGULATIONS SO THAT THE OWNERS CAN OBTAIN BUILDING PERMITS TO CONSTRUCT AN ACCESSORY STRUCTURE.

EXISTING CONDITION DRAINAGE ON THE PROPERTY AS REFLECTED IN TOPOGRAPHIC AND IMPROVEMENT SURVEY PERFORMED BY ARTHUR SURVEYING , INC AND NCTCOG AERIALS. PROPOSED IMPROVEMENTS WILL INCREASE IMPERVIOUS AREA BY 1008 SF.

PROPOSED CONDITION DRAINAGE CALCULATIONS

Area (Acres) (Min) (In/Hr) (cfs) (In/Hr) (cfs) (In/Hr) (cfs) A-1 0.78 15 0.5 3.32 1.29 6.6 2.57 9.6 3.74 Drainage to B	ents
	rrow Ditch
OS-1 0.73 15 0.5 3.32 1.21 6.6 2.40 9.6 3.49 Flow ont	Site



INTERCEPTOR SWALE HIGHPOINT IS THE SEC OF THE PROPOSED STRUCTURE.

SWALE TO BE AT A MINIMUM OF 6" DEEP AT THE HIGHPOINT.

SWALE TO BE CUT TO THE NORTH AND WEST AT A MINIMUM SLOPE OF 1% UNTIL IT INTERCEPTS THE EXISTING CONTOURS.









