

CITY OF KELLER
INDUSTRIAL WASTE AND POLLUTION ORDINANCE
Highlighted to show edits

ORDINANCE NO. __¹

ARTICLE V. WASTEWATER PRETREATMENT PROGRAM

Sec. 19-600. Purpose and Policy

- A. This ordinance sets forth uniform requirements for users of the Publicly Owned Treatment Works for the City of Keller and enables the City to comply with all applicable State and Federal laws, including the Clean Water Act (33 United States Code §§ 1251 et seq.) and the General Pretreatment Regulations (40 Code of Federal Regulations Part 403). The objectives of this ordinance are:
1. To prevent the introduction of pollutants into the Publicly Owned Treatment Works that will interfere with its operation;
 2. To prevent the introduction of pollutants into the Publicly Owned Treatment Works that will pass through the Publicly Owned Treatment Works, inadequately treated, into receiving waters, or otherwise be incompatible with the Publicly Owned Treatment Works;
 3. To protect both Publicly Owned Treatment Works personnel who may be affected by wastewater and sludge in the course of their employment and the general public;
 4. To promote reuse and recycling of industrial wastewater and sludge from the Publicly Owned Treatment Works;
 5. To provide for fees for the equitable distribution of the cost of operation, maintenance, and improvement of the Publicly Owned Treatment Works; and
 6. To enable the Control Authority to comply with its National Pollutant Discharge Elimination System permit conditions, sludge use and disposal requirements, and any other Federal or State laws to which the Publicly Owned Treatment Works is subject.

This ordinance shall apply to all users of the Publicly Owned Treatment Works. The ordinance authorizes the issuance of wastewater discharge permits; provides for monitoring, compliance, and enforcement activities; establishes administrative review

¹ Editor's note— Ord. No. , § [section], adopted [insert date], amended former Art. V, §§ 19-600—19-728, in its entirety to read as herein set out. Former Art. V pertained to industrial waste regulations and derived from Ord. No. 1142, § 2, adopted Apr. 15, 2003.

procedures; requires user reporting; and provides for the setting of fees for the equitable distribution of costs resulting from the program established herein.

Sec. 19-602. Administration

Except as otherwise provided herein, the Director of Public Works shall administer, implement, and enforce the provisions of this ordinance. Any powers granted to or duties imposed upon the Director of Public Works may be delegated by the Director of Public Works to other City personnel.

Sec. 19-604. Abbreviations

The following abbreviations, when used in this ordinance, shall have the designated meanings:

- BOD - Biochemical Oxygen Demand
- **BMP - Best Management Practice**
- **BMR - Baseline Monitoring Report**
- **CFR - Code of Federal Regulations**
- **CIU - Categorical Industrial User**
- COD - Chemical Oxygen Demand
- EPA - U.S. Environmental Protection Agency
- gpd - gallons per day
- **IU - Industrial User**
- mg/l - milligrams per liter
- **NAICS- North American Industrial Classification System**
- NPDES- National Pollutant Discharge Elimination System
- **NSCIU- Non-Significant Categorical Industrial User**
- POTW - Publicly Owned Treatment Works
- RCRA - Resource Conservation and Recovery Act

- SIC - Standard Industrial Classification
- SIU - Significant Industrial User
- **SNC - Significant Noncompliance**
- TCEQ - Texas Commission on Environmental Quality
- TPDES – Texas Pollutant Discharge Elimination System
- TRA - Trinity River Authority
- TSS - Total Suspended Solids
- TTO - Total Toxic Organics
- U.S.C. - United States Code

Sec. 19-606. Definitions

Unless a provision explicitly states otherwise, the following terms and phrases, as used in this ordinance, shall have the meanings hereinafter designated.

- A. Act or “the Act.” The Federal Water Pollution Control Act, also known as the Clean Water Act, as amended, 33 U.S.C. § 1251 et seq.
- B. Approval Authority. The Executive Director of the Texas Commission on Environmental Quality (TCEQ) where the state has been delegated NPDES permit authority and has an approved pretreatment program.
- C. Authorized Representative of the User.
 - (1) If the user is a corporation:
 - (a) The president, secretary, treasurer, or a vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation; or
 - (b) The manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions that govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiate and direct other comprehensive measures to assure long-term environmental compliance with environmental laws and

regulations; can ensure that the necessary systems are established or actions taken to gather complete and accurate information for individual wastewater discharge permit requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

- (2) If the user is a partnership or sole proprietorship: a general partner or proprietor, respectively.
- (3) If the user is a Federal, State, or Local governmental facility: a Pretreatment Coordinator or highest official appointed or designated to oversee the operation and performance of the activities of the government facility, or their designee.
- (4) The individuals described in paragraphs (1) through (3), above, may designate another authorized representative if the authorization is in writing, the authorization specifies the individual or position responsible for the overall operation of the facility from which the discharge originates or having overall responsibility for environmental matters for the company, and the written authorization is submitted to the city.

- D. Best Management Practices or BMPs means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to implement the prohibitions listed in Section 19-608(A) and (B) [40 CFR 403.5(a)(1) and (b)]. BMPs include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw materials storage.
- E. Biochemical Oxygen Demand or BOD The quantity of oxygen utilized in the biochemical oxidation of organic matter under standard laboratory procedures for five (5) days at 20° centigrade, usually expressed as a concentration (e.g., mg/l).
- F. Categorical Industrial User (CIU). An Industrial User subject to a Categorical Pretreatment Standard or Categorical Standard.
- G. Categorical Pretreatment Standard or Categorical Standard. Any regulation containing pollutant discharge limits promulgated by EPA in accordance with Sections 307(b) and (c) of the Act (33 U.S.C. § 1317) which apply to a specific category of users and which appear in 40 CFR Chapter I, Subchapter N, Parts 405 - 471.
- H. City. The City of Keller or the City Council of the City of Keller.
- I. Composite Sample. A sample that is collected over time, formed either by continuous sampling or by mixing discrete samples. The sample may be composited either as a time composite sample: composed of discrete sample aliquots collected at constant time intervals providing a sample irrespective of stream flow; or as a flow proportional composite sample: collected either as a constant sample volume at time intervals

proportional to flow, or collected by increasing the volume of each aliquot as the flow increases while maintaining a constant time interval between the aliquots.

- J. Control Authority. Trinity River Authority of Texas as holder of the TPDES permit.
- K. Daily Maximum Limit. The maximum allowable discharge limit of a pollutant during a calendar day. Where Daily Maximum Limits are expressed in units of mass, the daily discharge is the total mass discharged over the course of the day. Where Daily Maximum Limits are expressed in terms of a concentration, the daily discharge is the arithmetic average measurement of the pollutant concentration derived from all measurements taken that day.
- L. Director of Public Works. The person designated by the city who is charged with certain duties and responsibilities by this ordinance, or a duly authorized representative.
- M. Environmental Protection Agency or EPA. The U.S. Environmental Protection Agency or, where appropriate, the Regional Water Management Division Pretreatment Coordinator, or other duly authorized official of said agency.
- N. Existing Source. Any source of discharge, the construction or operation of which commenced prior to the publication by the EPA of proposed categorical pretreatment standards, which will be applicable to the source if the standard is thereafter promulgated in accordance with Section 307 of the Act.
- O. Extrajurisdictional User. A User the City has determined requires a permit to discharge, other than a local government, which is located outside the jurisdiction of the City, and which discharges or plans to discharge to the POTW.
- P. Grab Sample. A sample which is taken from a wastestream without regard to the flow in the wastestream and over a period of time not to exceed fifteen (15) minutes.
- Q. Indirect Discharge or Discharge. The introduction of pollutants into the POTW from any nondomestic source regulated under Section 307(b), (c), or (d) of the Act.
- R. Instantaneous Maximum Allowable Discharge Limit. The maximum concentration of a pollutant allowed to be discharged at any time, determined from the analysis of any discrete or composited sample collected, independent of the industrial flow rate and the duration of the sampling event.
- S. Interference. A discharge, which alone or in conjunction with a discharge or discharges from other sources, inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use, or disposal; and therefore is a cause of a violation of the Control Authority's NPDES or TPDES permit or of the prevention of sewage sludge use or disposal in compliance with any of the following statutory/regulatory provisions or permits issued thereunder, or any more stringent state or local regulations: Section 405 of the Act, the Solid Waste Disposal Act, including Title II commonly referred to as the

Resource Conservation and Recovery Act (RCRA); 40 CFR pt. 503, sludge regulations; any State regulations contained in any State sludge management plan prepared pursuant to Subtitle D of the Solid Waste Disposal Act and 30 TAC 312; the Clean Air Act; the Toxic Substances Control Act; and the Marine Protection, Research, and Sanctuaries Act.

T. Medical Waste. Isolation wastes, infectious agents, human blood and blood products, pathological wastes, sharps, body parts, contaminated bedding, surgical wastes, potentially contaminated laboratory wastes, and dialysis wastes.

U. Monthly Average. The sum of all “daily discharges” measured during a calendar month divided by the number of “daily discharges” measured during that month.

V. Natural Outlet. Any outlet into a watercourse, pond, ditch, lake, or other body of surface or ground water.

W. New Source.

(1) Any building, structure, facility, or installation from which there is (or may be) a discharge of pollutants, the construction of which commenced after the publication of proposed pretreatment standards under Section 307(c) of the Act, which will be applicable to the source if such standards are thereafter promulgated in accordance with that section, provided that:

(a) The building, structure, facility, or installation is constructed at a site at which no other source is located; or

(b) The building, structure, facility, or installation totally replaces the process or production equipment that causes the discharge of pollutants at an existing source; or

(c) The production or wastewater generating processes of the building, structure, facility, or installation are substantially independent of an existing source at the same site. In determining whether these are substantially independent, factors such as the extent to which the new facility is integrated with the existing plant, and the extent to which the new facility is engaged in the same general type of activity as the existing source, should be considered.

(2) Construction on a site at which an existing source is located results in a modification rather than a new source if the construction does not create a new building, structure, facility, or installation meeting the criteria of Section (1)(b) or (c) above but otherwise alters, replaces, or adds to existing process or production equipment.

(3) Construction of a new source as defined under this paragraph has commenced if the owner or operator has:

- (a) Begun, or caused to begin, as part of a continuous onsite construction program:
 - 1. Any placement, assembly, or installation of facilities or equipment; or
 - 2. Significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - (b) Entered into a binding contractual obligation for the purchase of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under this paragraph.
- X. Noncontact Cooling Water. Water used for cooling which does not come into direct contact with any raw material, intermediate product, waste product, or finished product.
- Y. Normal Wastewater. Wastewater which the average concentration of suspended solids and five-day BOD does not exceed 250 mg/l each.
- Z. North American Industry Classification System (NAICS). A system used by the Federal Government for collecting and organizing industry-related statistics. The NAICS codes are updated every five years to stay current with industry developments.
- AA. Pass Through. A discharge which exits the POTW into waters of the United States in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, is a cause of a violation of any requirement of the Control Authority's NPDES or TPDES permit, including an increase in the magnitude or duration of a violation.
- BB. Person. Any individual, partnership, co-partnership, firm, company, corporation, association, joint stock company, trust, estate, governmental entity, or any other legal entity; or their legal representatives, agents, or assigns. This definition includes all Federal, State, and local governmental entities.
- CC. pH. A measure of the acidity or alkalinity of a solution, expressed in standard units.
- DD. Pollutant. Dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, sewage sludge, munitions, medical wastes, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar

dirt, municipal, agricultural, and industrial wastes, and certain characteristics of wastewater (e.g., pH, temperature, TSS, turbidity, color, BOD, COD, toxicity, or odor).

EE. Pretreatment. The reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of pollutant properties in wastewater prior to, or in lieu of, introducing the pollutants into the POTW. This reduction or alteration can be obtained by physical, chemical, or biological processes, by process changes, or by other means, except by diluting the concentration of the pollutants unless allowed by an applicable pretreatment standard.

FF. Pretreatment Requirements. Any substantive or procedural requirement related to pretreatment imposed on a user, other than a pretreatment standard.

GG. Pretreatment Standards or Standards. Pretreatment standards shall mean prohibited discharge standards, categorical pretreatment standards, and local limits.

HH. Process Wastewater. Water that comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, waste product, or wastewater, and/or as defined in a National Pretreatment Standard.

II. Prohibited Discharge Standards or Prohibited Discharges. Absolute prohibitions against the discharge of certain substances; these prohibitions appear in Section 19-604 of this ordinance.

JJ. Publicly Owned Treatment Works or POTW. A “treatment works”, as defined by Section 212 of the Act (33 U.S.C. § 1292), which is owned by the City and/or the Control Authority. This definition includes any devices or systems used in the collection, storage, treatment, recycling, and reclamation of sewage or industrial wastes of a liquid nature and any conveyances which convey wastewater to a treatment plant.

KK. Septic Tank Waste. Any sewage from holding tanks such as vessels, chemical toilets, campers, trailers, and septic tanks.

LL. Sewage. Human excrement and gray water (household showers, dishwashing operations, etc.).

MM. Shall is mandatory; May is permissive.

NN. Significant Industrial User.

(1) SIUs

(a) A user subject to categorical pretreatment standards; or

(b) A user that:

1. Discharges an average of twenty-five thousand (25,000) gpd or more of process wastewater to the POTW (excluding sanitary, noncontact cooling, and boiler blowdown wastewater);
 2. Contributes a process wastestream which makes up five (5) percent or more of the average dry weather hydraulic or organic capacity of the POTW treatment plant; or
 3. Is designated as such by the City on the basis that it has a reasonable potential for adversely affecting the POTW's operation or for violating any pretreatment standard or requirement.
- (c) Upon a finding that a user meeting the criteria in Subsection (b) has no reasonable potential for adversely affecting the POTW's operation or for violating any pretreatment standard or requirement, the City may at any time, on its own initiative or in response to a petition received from a user, and in accordance with procedures in 40 CFR 403.8(f)(6), determine that the user should not be considered a significant industrial user.

(2) NSCIUs

- (a) The City may determine that an Industrial User subject to categorical Pretreatment Standards is a Non-Significant Categorical Industrial User (NSCIU) rather than a Significant Industrial User (SIU) on a finding of any of the three criteria below:
1. The Industrial User never discharges more than 100 gallons per day (gpd) of total categorical wastewater (excluding sanitary, non-contact cooling and boiler blowdown wastewater, unless specifically included in the Pretreatment Standard);
 2. The Industrial User is required by a categorical Pretreatment Standard to not discharge categorical wastewater . An Industrial User that meets this criteria shall continue to be prohibited from discharging categorical wastewater; or
 3. The Industrial User is subject to numeric categorical Pretreatment Standard(s) and does not discharge categorical wastewater
- (b) The following conditions must be met for an Industrial User classified as a NSCIU:
1. The Industrial User, prior to City's finding, has consistently complied with all applicable categorical Pretreatment Standards and Requirements;

2. The Industrial User annually submits the certification statement required in Section 19-640(B) [see 40 CFR 403.12(q)], together with any additional information necessary to support the certification statement; and
 3. The Industrial User never discharges any untreated concentrated wastewater.
- OO. Slug Load or Slug Discharge. Any discharge at a flow rate or concentration which could cause a violation of the prohibited discharge standards in Section 19-608 of this ordinance. A Slug Discharge is any Discharge of a non-routine, episodic nature, including but not limited to accidental spill or a non-customary batch discharge, which has a reasonable potential to cause Interference or Pass Through, or in any way violate the POTW's regulations, Local Limits or Permit conditions.
- PP. Standard Industrial Classification (SIC) Code. A classification pursuant to the Standard Industrial Classification Manual issued by the United States Office of Management and Budget.
- QQ. Storm Water. Any flow occurring during or following any form of natural precipitation, and resulting from such precipitation, including snowmelt.
- RR. Suspended Solids. The total suspended matter that floats on the surface of, or is suspended in, water, wastewater, or other liquid, and which is removable by laboratory filtering.
- SS. Total Toxic Organics or TTO. The sum of the masses or concentration of the toxic organic compounds listed in 40 CFR122 Appendix D, Table 2, excluding pesticides, found in an industrial user's discharge at a concentration greater than 0.01mg/L. For categorical SIU's, with categorical TTO monitoring requirements, TTO parameter selection is specific to the federal category.
- TT. TPDES. Texas Pollutant Discharge Elimination System permit program of the Texas Commission on Environmental Quality with federal regulatory authority to act on an approved pretreatment program.
- UU. User or Industrial User (IU). A source of indirect discharge.
- VV. Wastewater. Liquid and water-carried industrial wastes and sewage from residential dwellings, commercial buildings, industrial and manufacturing facilities, and institutions, whether treated or untreated, which are contributed to the POTW.
- WW. Wastewater Treatment Plant or Treatment Plant. The portion of the POTW which is designed to provide treatment of municipal sewage and industrial waste.

XX. Water Remediation. The removal and sub sequential treatment of waters that may contain contamination from various sources including but not limited to: Underground storage tanks, contaminated structures, spill remediation sites, etc., as approved by the director of public works.

Sec. 19-608. Prohibited Discharge Standards

- A. General Prohibitions. No user shall introduce or cause to be introduced into the POTW any pollutant or wastewater which causes pass through or interference. These general prohibitions apply to all users of the POTW whether or not they are subject to categorical pretreatment standards or any other National, State, or local pretreatment standards or requirements.

Storm water and all other unpolluted drainage shall be discharged to sewers that are specifically designated as storm sewers, or to a natural outlet approved by the Director of Public Works. No liquid, semi-liquid, ready mixed concrete, mortar, asphalt material, or chemical waste shall be deposited in any area that will drain to the storm sewer or natural outlet.

- B. Specific Prohibitions. No user shall introduce or cause to be introduced into the POTW the following pollutants, substances, or wastewater:
- (1) Pollutants which create a fire or explosive hazard in the POTW, including, but not limited to, wastestreams with a closed-cup flashpoint of less than 140°F (60°C) using the test methods specified in 40 CFR 261.21;
 - (2) Wastewater having a pH less than 5.5 or more than 11.0, or otherwise causing corrosive structural damage to the POTW or equipment;
 - (3) Solid or viscous substances in amounts which will cause obstruction of the flow in the POTW resulting in interference, blockage, or damage to the POTW;
 - (4) Pollutants, including oxygen-demanding pollutants (BOD, etc.), released in a discharge at a flow rate or pollutant concentration which, either singly or by interaction with other pollutants, will cause interference with the POTW;
 - (5) Wastewater having a temperature greater than 150°F (65°C), or which will inhibit biological activity in the treatment plant resulting in interference, but in no case wastewater which causes the temperature at the introduction into the treatment plant to exceed 104°F (40°C);
 - (6) Petroleum oil, non-biodegradable cutting oil, or products of mineral oil origin, in amounts that will cause interference and/or pass through, and in amounts specified in Section 19-614 of this ordinance.
 - (7) Pollutants which result in the presence of toxic gases, vapors, or fumes within the POTW in a quantity that may cause acute worker health and safety problems;
 - (8) Trucked or hauled pollutants, except at discharge points designated by the Director of Public Works and in accordance with Section 19-628 of this ordinance;

- (9) Noxious or malodorous liquids, gases, solids, or other wastewater which, either singly or by interaction with other wastes, are sufficient to create a public nuisance or a hazard to life, or to prevent entry into the sewers for maintenance or repair;
- (10) Wastewater which imparts color which cannot be removed by the treatment process, such as, but not limited to, dye wastes and vegetable tanning solutions, which consequently imparts color to the treatment plant's effluent, thereby violating the applicable NPDES or TPDES permit;
- (11) Wastewater containing any radioactive wastes or isotopes except in compliance with applicable state or federal regulations;
- (12) Storm water, surface water, ground water, artesian well water, roof runoff, subsurface drainage, and unpolluted wastewater, unless specifically authorized by the Director of Public Works;
- (13) Sludges, screenings, or other residues from the pretreatment of industrial wastes;
- (14) Medical wastes, except as specifically authorized by the Director of Public Works, that do not cause or contribute to Pass Through and/or Interference;
- (15) Wastewater causing, alone or in conjunction with other sources, the treatment plant's effluent to fail a toxicity test;
- (16) Detergents, surface-active agents, or other substances which may cause excessive foaming in the POTW;
- (17) Fats, oils, or greases of animal or vegetable origin in concentrations greater than that specified in the applicable local limits in Section 19-614;
- (18) A discharge of water, normal domestic wastewater, or industrial waste which in quantity of flow exceeds, for a duration of longer than fifteen minutes, more than four times the average twenty-four hour flow during normal operations of the industry;
- (19) Insecticides and herbicides in concentrations that are not amenable to treatment;
- (20) Garbage that is not properly shredded to such an extent that all particles will be carried freely under the flow conditions normally prevailing in wastewater mains, with no particle having greater than one-half (1/2) inch cross-sectional dimension;
- (21) Wastewater or industrial waste generated or produced outside the City, unless approval in writing from the Director of Public Works has been given to the person discharging the waste; or

(22) Without the approval of the Director of Public Works, a substance or pollutant other than industrial waste, normal domestic wastewater, septic tank waste, or chemical toilet waste that is of a toxic or hazardous nature, regardless of whether or not it is amenable to treatment, including but not limited to bulk or packaged chemical products.

- C. Processing and Storage. Pollutants, substances, or wastewater prohibited by this section shall not be processed or stored in such a manner that they could be discharged to the POTW.

Sec. 19-610. National Categorical Pretreatment Standards

The categorical pretreatment standards found at 40 CFR Chapter I, Subchapter N, Parts 405-471 are hereby incorporated.

- A. Where a categorical pretreatment standard is expressed in terms of either the mass or the concentration of a pollutant in wastewater, the Director of Public Works may impose equivalent concentration or mass limits in accordance with 40 CFR 403.6(c)(1).
- B. When wastewater subject to a categorical pretreatment standard is mixed with wastewater not regulated by the same standard, the Director of Public Works shall impose an alternate limit using the combined wastestream formula in 40 CFR 403.6(e).
- C. A user may obtain a variance from a categorical pretreatment standard if the user can prove, pursuant to the procedural and substantive provisions in 40 CFR 403.13, that factors relating to its discharge are fundamentally different from the factors considered by the EPA when developing the categorical pretreatment standard.
- D. A user may obtain a net gross adjustment to a categorical standard in accordance with 40 CFR 403.15.

Sec. 19-612. Reserved

Sec. 19-614. Local Discharge Limits

A. The following pollutant limits are established to protect against pass through and interference and apply at the point where the wastewater is discharged to the POTW. No person shall discharge, or cause or permit to be discharged, wastewater containing in excess of the following instantaneous maximum allowable discharge limits.

(1) Toxic Pollutants specified in the following table:

Toxic Pollutant	TRA Central Instantaneous Maximum Allowable Discharge Limits (mg/L)	TRA Denton Creek Daily Maximum Allowable Discharge Limits (mg/L)
Arsenic	0.2	-
Cadmium	0.1	0.044
Chromium	2.1	10.0
Copper	1.8	5.64
Cyanide	0.4	1.0
Lead	1.2	0.32
Mercury	0.06	0.005
Molybdenum	0.5	-
Nickel	3.3	2.91
Selenium	0.2	-
Silver	0.8	-
Zinc	6.1	2.80
Oil and Grease	200	100
Total Toxic Organics	-	2.13
pH	5.5-11.0 Standard Units	5.5-11.0 Standard Units

All concentrations for metallic substances are for “total” metal unless indicated otherwise. The Director of Public Works may impose mass limitations in addition to, or in place of, the concentration-based limitations above.

Sec. 19-616 City’s Right of Revision

The City reserves the right to establish, by ordinance or in wastewater discharge permits, more stringent standards or requirements on discharges to the POTW.

Sec. 19-618. Dilution

No user shall ever increase the use of process water, or in any way attempt to dilute a discharge, as a partial or complete substitute for adequate treatment to achieve compliance with a discharge limitation unless expressly authorized by an applicable pretreatment standard or requirement. The Director of Public Works may impose mass limitations on users who are using dilution to meet applicable pretreatment standards or requirements, or in other cases when the imposition of mass limitations is appropriate.

Sec. 19-620. Plant Loading

No industry shall discharge wastewater containing a BOD or TSS loading that causes the City’s prorata share of the total BOD or TSS loading to the POTW system to exceed the City’s prorata share of the total flow to the POTW system. (Example: if the City contributes 25% of the total wastewater flow to the System, the City’s cumulative BOD or TSS loading to the System, as measured at the City’s points of entry to the System, shall not exceed 25% of the total BOD or TSS loading to the System.)

Any industry with a wastewater strength that will cause the City’s cumulative wastewater loading, at the City’s points of entry, to exceed the City’s prorata share of the total wastewater loading based upon flow, shall be required to install pretreatment facilities to reduce its wastewater strength to an acceptable level.

Sec. 19-622. Pretreatment Facilities; Plans

Users shall provide wastewater treatment as necessary to comply with this ordinance and shall achieve compliance with all categorical pretreatment standards, local limits, and the prohibitions set out in Section 19-608 of this ordinance within the time limitations specified by EPA, the State, or the Director of Public Works whichever is more stringent. Any facilities necessary for compliance shall be provided, operated, and maintained at the user’s expense. Detailed plans describing such facilities and operating procedures shall be submitted to the Director of Public Works for review, and shall be acceptable to the Director of Public Works before the facilities are constructed. The review of such plans and operating procedures shall in

no way relieve the user from the responsibility of modifying such facilities as necessary to produce a discharge acceptable to the City under the provisions of this ordinance.

Sec. 19-624. Additional Pretreatment Measures

- A. Whenever deemed necessary, the Director of Public Works may require users to restrict their discharge during peak flow periods, designate that certain wastewater be discharged only into specific sewers, relocate and/or consolidate points of discharge, separate sewage wastestreams from industrial wastestreams, and require such other conditions as may be necessary to protect the POTW and determine the user's compliance with the requirements of this ordinance.
- B. The Director of Public Works may require any person discharging into the POTW to install and maintain, on their property and at their expense, a suitable storage and flow-control facility to ensure equalization of flow. A wastewater discharge permit may be issued solely for flow equalization.
- C. Grease, oil, and sand interceptors shall be provided when, in the opinion of the Director of Public Works they are necessary for the proper handling of wastewater containing excessive amounts of grease and oil, or sand; except that these interceptors shall not be required for residential users. All interception units shall be of type and capacity approved by the Director of Public Works and shall be so located to be easily accessible for cleaning and inspection. Such interceptors shall be inspected, cleaned, and repaired regularly, as needed, by the user at the user's expense.
- D. Users with the potential to discharge flammable substances may be required to install and maintain an approved combustible gas detection meter or other control device as deemed necessary by the Director of Public Works.

Sec. 19-626. Slug Control Plans

- A. The Director of Public Works shall evaluate whether each permitted significant industrial user needs a slug control plan or other action to control Slug Discharges no later than (1) one year of the SIU determination. The Director of Public Works may require any user to develop, submit for approval, and implement such a plan. All the activities associated with Slug Control evaluation and results are to be kept in the Industrial User file.
- B. A slug control plan shall address, at a minimum, the following:
 - (1) Description of discharge practices, including nonroutine batch discharges;
 - (2) Description of stored chemicals;

- (3) Procedures for immediately notifying the Director of Public Works and Control Authority of any slug discharge, as required by Section 19-668 of this ordinance; and
- (4) Procedures to prevent adverse impact from any slug discharge. Such procedures include, but are not limited to, inspection and maintenance of storage areas, handling and transfer of materials, loading and unloading operations, control of plant site runoff, worker training, building of containment structures or equipment, measures for containing toxic organic pollutants, including solvents, and/or measures and equipment for emergency response.

Sec. 19-628. Hauled Wastewater; Discharge; Permit

- A. Septage waste may be introduced into the POTW only at locations designated by the Director of Public Works and Control Authority, and at such times as are established by the Director of Public Works and Control Authority. Such waste shall not violate Section 19-608 – 19-620 of this ordinance or any other requirements established by the City. The Director of Public Works and/or Control Authority may require septic tank waste haulers to obtain wastewater discharge permits.
- B. Septage waste haulers must provide a waste-tracking form for every load. This form shall include, at a minimum, the name and address of the waste hauler, permit number, truck identification, names and addresses of sources of waste, and volume and characteristics of waste. The form shall identify the type of generator, known or suspected waste constituents, and whether any wastes are RCRA hazardous wastes.

Sec. 19-630 Wastewater Analysis Required Upon Request

When requested by the Director of Public Works, a user must submit information on the nature and characteristics of its wastewater by the deadline stipulated. The Director of Public Works is authorized to prepare a form for this purpose and may periodically require users to update this information.

Sec. 19-632. Wastewater Discharge Permit Required

- A. No significant industrial user (SIU) or non-significant categorical industrial user (NSCIU) shall discharge wastewater into the POTW without first obtaining a wastewater discharge permit from the Director of Public Works, who may disallow any or all discharges until a wastewater discharge permit is issued, except that a SIU or a NSCIU that has filed a timely application pursuant to Section 19-640 of this ordinance may continue to discharge for the time period specified therein.

- B. The Director of Public Works may require other users to submit a completed permit application or survey form, including monitoring data, and to obtain wastewater discharge permits as necessary to carry out the purposes of this ordinance. To determine the status of a user in relation to this ordinance, users may be required to perform sampling as specified by the Director of Public Works.
- C. Any violation of the terms and conditions of a wastewater discharge permit shall be deemed a violation of this ordinance and subjects the wastewater discharge permittee to the sanctions set out in Sections 19-692-19-714 of this ordinance. Obtaining a wastewater discharge permit does not relieve a permittee of the obligation to comply with all Federal and State pretreatment standards or requirements with any other requirements of Federal, State, and local law.

Sec. 19-634. Wastewater discharge permitting - Existing conditions

Any user required to obtain a wastewater discharge permit who was discharging wastewater into the POTW prior to the effective date of this ordinance and who wishes to continue such discharges in the future, shall, within ninety (90) days after that date, apply to the Director of Public Works for a wastewater discharge permit in accordance with Section 19-640 (A) of this ordinance, and shall not cause or allow discharges to the POTW to continue after ninety (90) days of the effective date of this ordinance except in accordance with a wastewater discharge permit issued by the Director of Public Works. If, in the Director of Public Work's judgment, the passing of the ordinance does not significantly affect the Industrial User's current permit, then the existing permit may continue through to the expiration date.

Sec. 19-636. Wastewater discharge permitting - New Conditions

Any user required to obtain a wastewater discharge permit who proposes to begin or recommence discharging into the POTW must obtain that permit prior to the beginning or recommencing of the discharge. An application for this wastewater discharge permit, in accordance with Section 19-640 (A) of this ordinance, must be filed prior to the date upon which any discharge will begin or recommence.

Sec. 19-638. Wastewater Discharge Permit Application; Content

- A. Permit application. All users required to obtain a wastewater discharge permit must submit a permit application.
 - (1) The Director of Public Works may require all users to submit as part of an application the following information:
 - (a) All information required by Section 19-658 (B) of this ordinance;

- (b) Description of activities, facilities, and plant processes on the premises, including a list of all raw materials and chemicals used or stored at the facility which are, or could accidentally or intentionally be, discharged to the POTW;
 - (c) Number and type of employees, hours of operation, and proposed or actual hours of operation;
 - (d) Each product produced by type, amount, process or processes, and rate of production;
 - (e) Type and amount of raw materials processed (average and maximum per day);
 - (f) Site plans, floor plans, mechanical and plumbing plans, and details to show all sewers, floor drains, and appurtenances by size, location, and elevation, and all points of discharge;
 - (g) Time and duration of discharges; and
 - (h) Any other information as may be deemed necessary by the Director of Public Works to evaluate the wastewater discharge permit application.
- (2) Incomplete or inaccurate applications will not be processed and will be returned to the user for revision.

Sec. 19-640. Permit Application; Signatories and Certification

- (1) An Authorized Representative of the User must sign all wastewater discharge permit applications, user reports, and enforcement responses. Wastewater discharge permit applications and user reports as identified in 40 CFR §403.12(b), (d), (e), and (h), must contain the following certification statement: “I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”
- (2) If the designation of an Authorized Representative of the User is no longer accurate because a different individual or position has responsibility for the overall operation of the facility or overall responsibility for environmental matters for the company,

a new written authorization satisfying the requirements of this Section must be submitted to the Director of Public Works prior to or together with any reports to be signed by an Authorized Representative of the User.

- (3) A facility determined to be a Non-Significant Categorical Industrial User (NSCIU) by the Director of Public Works pursuant to Section 19-606 (NN)(2) must annually submit the signed certification statement signed in accordance with the signatory requirements in Section 19-606 (C). This certification must accompany an alternative report required by the Director of Public Works:

“Based on my inquiry of the person or persons directly responsible for managing compliance with the categorical Pretreatment Standards under 40 CFR § ____, I certify, to the best of my knowledge and belief, that during the period from _____, _____ to _____, _____ [months, days, year]:

- (a) The facility described as _____ [facility name] met the definition of a Non-Significant Categorical Industrial as described in Section 19-606 (NN)(2); [Note: See 40 CFR § 403.3(v)(2)]
- (b) The facility complied with all applicable Pretreatment Standards and requirements during this reporting period; and the facility never discharged more than 100 gallons of total categorical wastewater on any given day during this reporting period.
- (c) This compliance certification is based on the following information.

_____”

Sec. 19-642. Wastewater Discharge Evaluation and Decision

The Director of Public Works will evaluate the data furnished by the user and may require additional information. Within a reasonable time from receipt of a complete wastewater discharge permit application, the Director of Public Works will determine whether to issue a wastewater discharge permit. The Director of Public Works may deny any application for a wastewater discharge permit.

Sec. 19-644. Wastewater Discharge Permit Duration

A wastewater discharge permit shall be issued for a specified time period, not to exceed five (5) years from the effective date of the permit. A wastewater discharge permit may be issued for a period less than five (5) years, at the discretion of the Director of Public Works. Each wastewater discharge permit will indicate a specific date upon which it will expire.

Sec. 19-646. Wastewater Discharge Permit Content; Conditions

- A. A wastewater discharge permit shall include such conditions as are deemed reasonably necessary by the Director of Public Works to prevent pass through or interference, protect the quality of the water body receiving the treatment plant's effluent, protect worker health and safety, facilitate sludge management and disposal, and protect against damage to the POTW.

- B. Wastewater discharge permits must contain:
 - (1) A statement that indicates wastewater discharge permit duration, which in no event shall exceed five (5) years;
 - (2) A statement that the wastewater discharge permit is nontransferable without prior notification to the City in accordance with Section 19-652 of this ordinance, and provisions for furnishing the new owner or operator with a copy of the existing wastewater discharge permit;
 - (3) Effluent limits including Best Management Practices based on applicable pretreatment standards;
 - (4) Self-monitoring, sampling, reporting, notification, and record-keeping requirements including those for BMPs. These requirements shall include an identification of pollutants to be monitored, sampling location, sampling frequency, and sample type based on Federal, State, and local law;
 - (5) A statement of applicable civil and criminal penalties for violation of pretreatment standards and requirements, and any applicable compliance schedule. Such schedule may not extend the time for compliance beyond that required by applicable Federal, State, or local law; and
 - (6) Requirements to control Slug Discharge, if determined by the Director of Public Works to be necessary.

- C. Wastewater discharge permits may contain, but need not be limited to, the following conditions:
 - (1) Limits on the average and/or maximum rate of discharge, time of discharge, and/or requirements for flow regulation and equalization;
 - (2) Requirements for the installation of pretreatment technology, pollution control, or construction of appropriate containment devices, designed to reduce, eliminate, or prevent the introduction of pollutants into the treatment works;

- (3) Requirements for the development and implementation of spill control plans or other special conditions including management practices necessary to adequately prevent accidental, unanticipated, or nonroutine discharges;
- (4) Development and implementation of waste minimization plans to reduce the amount of pollutants discharged to the POTW;
- (5) The unit charge or schedule of user charges and fees for the management of the wastewater discharged to the POTW;
- (6) Requirements for installation and maintenance of inspection and sampling facilities and equipment;
- (7) A statement that compliance with the wastewater discharge permit does not relieve the permittee of responsibility for compliance with all applicable Federal and State pretreatment standards, including those which become effective during the term of the wastewater discharge permit;
- (8) Requirements to implement BMPs, if determined by the Director of Public Works to be necessary; and
- (9) Other conditions as deemed appropriate by the Director of Public Works to ensure compliance with this ordinance, and State and Federal laws, rules, and regulations.

Sec. 19-648. Reserved

Sec. 19-650. Wastewater Discharge Permit Modifications

The Director of Public Works may modify a wastewater discharge permit for good cause, including, but not limited to, the following reasons:

- A. To incorporate any new or revised Federal, State, or local pretreatment standards or requirements;
- B. To address significant alterations or additions to the user's operation, processes, or wastewater volume or character since the time of the wastewater discharge permit issuance;
- C. A change in the POTW that requires either a temporary or permanent reduction or elimination of the authorized discharge;
- D. Information indicating that the permitted discharge poses a threat to the POTW, POTW personnel, or the receiving waters;
- E. Violation of any terms or conditions of the wastewater discharge permit;

- F. Misrepresentations or failure to fully disclose all relevant facts in the wastewater discharge permit application or in any required reporting;
- G. Revision of or a grant of variance from categorical pretreatment standards pursuant to 40 CFR § 403.13;
- H. To correct typographical or other errors in the wastewater discharge permit; or
- I. To reflect a transfer of the facility ownership or operation to a new owner or operator.

Sec. 19-652. Wastewater Discharge Permit Transfer; Notice and Approval

- A. Wastewater discharge permits may be transferred to a new owner or operator only if the permittee gives a minimum of sixty (60) days advance notice to the Director of Public Works and the Director of Public Works approves the wastewater discharge permit transfer. The notice to the Director of Public Works must include a written certification by the new owner or operator which:
 - (1) States that the new owner and/or operator has no immediate intent to change the facility's operations and processes;
 - (2) Identifies the specific date on which the transfer is to occur; and
 - (3) Acknowledges full responsibility for complying with the existing wastewater discharge permit.
- B. Failure to provide advance notice of a transfer renders the wastewater discharge permit void as of the date of facility transfer.

Sec. 19-654. Wastewater Discharge Permit Revocation

- A. The Director of Public Works may revoke a wastewater discharge permit for good cause, including, but not limited to, the following reasons:
 - (1) Failure to notify the Director of Public Works of significant changes to the wastewater prior to the changed discharge;
 - (2) Failure to provide prior notification to the Director of Public Works of changed conditions pursuant to Section 19-666 of this ordinance;
 - (3) Misrepresentation or failure to fully disclose all relevant facts in the wastewater discharge permit application;
 - (4) Falsifying self-monitoring reports;

- (5) Tampering with monitoring equipment;
- (6) Refusing to allow the Director of Public Works timely access to the facility premises and records;
- (7) Failure to meet effluent limitations;
- (8) Failure to pay fines;
- (9) Failure to pay sewer charges;
- (10) Failure to meet compliance schedules;
- (11) Failure to complete a wastewater survey or the wastewater discharge permit application;
- (12) Failure to provide advance notice of the transfer of business ownership of a permitted facility; or
- (13) Violation of any pretreatment standard or requirement, or any terms of the wastewater discharge permit or this ordinance.

- B. Wastewater discharge permits shall be voidable upon cessation of operations or transfer of business ownership. All wastewater discharge permits issued to a particular user are void upon the issuance of a new wastewater discharge permit to that user.

Sec. 19-656. Wastewater Discharge Permit Reissuance

A user with an expiring wastewater discharge permit shall apply for wastewater discharge permit reissuance by submitting a complete permit application, in accordance with Section 19-640 (A) of this ordinance, a minimum of sixty (60) days prior to the expiration of the user's existing wastewater discharge permit.

Sec. 19-658. Baseline Monitoring Reports

- A. Within either one hundred eighty (180) days after the effective date of a categorical pretreatment standard, or the final administrative decision on a category determination under 40 CFR § 403.6(a)(4), whichever is later, existing categorical users currently discharging to or scheduled to discharge to the POTW shall submit to the Director of Public Works a report which contains the information listed in paragraph B, below. At least ninety (90) days prior to commencement of their discharge, new sources, and sources that will become categorical users subsequent to the promulgation of an applicable categorical standard, shall submit to the Director of Public Works a report

which contains the information listed in paragraph B, below. A new source shall report the method of pretreatment it intends to use to meet applicable categorical standards. A new source also shall give estimates of its anticipated flow and quantity of pollutants to be discharged.

B. Users described above shall submit the information set forth below.

- (1) Identifying Information. The name and address of the facility, including the name of the operator and owner.
- (2) Environmental Permits. A list of any environmental control permits held by or for the facility.
- (3) Description of Operations. A brief description of the nature, average rate of production, and standard industrial classifications and/or North American Industry Classifications (NAICS) of the operation(s) carried out by the user. This description should include a schematic process diagram which indicates points of discharge to the POTW from the regulated processes.
- (4) Flow measurement. Information showing the measured or estimated average daily and maximum daily flow, in gallons per day, to the POTW from regulated process streams and other streams, as necessary, to allow use of the combined wastestream formula set out in 40 CFR § 403.6(e).
- (5) Measurement of Pollutants.
 - (a) The categorical pretreatment standards applicable to each regulated process (and any new categorically regulated processes for Existing Sources.)
 - (b) The results of sampling and analysis identifying the nature and concentration, and/or mass, where required by the standard or by the Director of Public Works, of regulated pollutants in the discharge from each regulated process.
 - (c) Instantaneous, daily maximum, and long-term average concentrations, or mass, where required, shall be reported.
 - (d) The sample shall be representative of daily operations and shall be analyzed in accordance with procedures set out in Section 19-676 of this ordinance. Where the Standard requires compliance with a BMP or pollution prevention alternative, the User shall submit documentation as required by the Director of Public Works or the applicable Standards to determine compliance with the Standard.
 - (e) If discharge flow conditions are representative of daily operations, the User shall take a minimum of one representative sample to compile that data

necessary to comply with the requirements of this section. The Director of Public Works may require additional representative sampling to be conducted.

- (f) Representative samples should be taken immediately downstream from pretreatment facilities if such exist or immediately downstream from the regulated process if no pretreatment exists. If other wastewaters are mixed with the regulated wastewater prior to pretreatment the User should measure the flows and concentrations necessary to allow use of the combined wastestream formula in 40 CFR § 304.6(e) to evaluate compliance with Pretreatment Standards.
 - (g) The Director of Public Works may allow the submission of a baseline report which utilizes only historical data so long as the data provides information sufficient to determine the need for industrial pretreatment measures.
 - (h) The baseline report shall indicate the time, date and place of sampling and method of analysis, and shall certify that such sampling and analysis is representative of normal work cycle and expected pollutant discharges to the POTW.
 - (i) Sampling must be performed in accordance with procedures set out in Section 19-678 of this ordinance.
- (6) Certification. A statement, reviewed by the user's Authorized Representative of the User and certified by a qualified professional, indicating whether pretreatment standards are being met on a consistent basis, and, if not, whether additional operation and maintenance (O&M) and/or additional pretreatment are required to meet the pretreatment standards and requirements.
- (7) Compliance Schedule. If additional pretreatment and/or O&M will be required to meet the pretreatment standards, the shortest schedule by which the user will provide the additional pretreatment and/or O&M. The completion date in this schedule shall not be later than the compliance date established for the applicable pretreatment standard. A compliance schedule pursuant to this section must meet the requirements set out in Section 19-660 of this ordinance.
- (8) Signature and Certification. All baseline monitoring reports must be signed and certified in accordance with Section 19-640 B. (1) of this ordinance.

Sec. 19-660. Compliance Schedule; Progress Reports

The following conditions shall apply to the compliance schedule required by Section 19-658 (B)(7) of this ordinance:

- A. The schedule shall contain progress increments in the form of dates for the commencement and completion of major events leading to the construction and operation of additional pretreatment required for the user to meet the applicable pretreatment standards (such events include, but are not limited to, hiring an engineer, completing preliminary and final plans, executing contracts for major components, commencing and completing construction, and beginning and conducting routine operation);
- B. No increment referred to above shall exceed nine (9) months;
- C. The user shall submit a progress report to the Director of Public Works no later than fourteen (14) days following each date in the schedule and the final date of compliance including, at a minimum, whether it complied with the increment of progress, the reason for any delay, and, if appropriate, the steps being taken by the user to return to the established schedule; and
- D. In no event shall more than nine (9) months elapse between the submission of progress reports to the Director of Public Works.

Sec. 19-662. Categorical Pretreatment Standards; Compliance Reports

Within ninety (90) days following the date for final compliance with applicable categorical pretreatment standards, or in the case of a new source following commencement of the introduction of wastewater into the POTW, any user subject to those pretreatment standards and requirements shall submit to the Director of Public Works a report containing the information described in Section 19-658 (B)(4-6) of this ordinance. For users subject to equivalent mass or concentration limits established in accordance with the procedures in 40 CFR § 403.6(c), this report shall contain a reasonable measure of the user's long-term production rate. In cases where the Categorical Pretreatment Standard requires compliance with a BMP or pollution prevention alternative, the User shall submit documentation as required by the applicable Categorical Pretreatment Standard necessary to determine the compliance status of the User. For all other users subject to categorical pretreatment standards expressed in terms of allowable pollutant discharge per unit of production (or other measure of operation), this report shall include the User's actual production during the appropriate sampling period. All compliance reports must be signed and certified in accordance with Section 19-640 (B)(1) of this ordinance. All sampling will be done in conformance with Section 19-678 of the ordinance.

Sec. 19-664. Periodic Compliance Reports

- A. All significant industrial users shall, at a frequency determined by the Director of Public Works but in no case less than twice per year, submit a report indicating the nature and concentration of pollutants in the discharge which are limited by pretreatment standards and the measured or estimated average and maximum daily flows for the reporting period. In cases where the Categorical Pretreatment Standard or the Director of Public Works requires compliance with a BMP or pollution prevention alternative, the User

shall submit documentation as required by the Director of Public Works or the applicable Categorical Pretreatment Standard necessary to determine the compliance status of the User. All periodic compliance reports must be signed and certified in accordance with Section 19-640 (B)(1) of this ordinance.

- B. All Non-significant Categorical Industrial Users (NSCIUs) shall submit a report annually in the month specified by the Director of Public Works. The report shall be completed according to the City's current reporting requirements, including the submittal of the applicable certification statement found in Section 19-640 (B)(3) of this ordinance.
- C. All wastewater samples must be representative of the user's discharge. Wastewater monitoring and flow measurement facilities shall be properly operated, kept clean, and maintained in good working order at all times. The failure of a user to keep its monitoring facility in good working order shall not be grounds for the user to claim that sample results are unrepresentative of its discharge.
- D. If a user subject to the reporting requirement in this section monitors any pollutant more frequently than required by the Director of Public Works using the procedures prescribed in Section 19-678 of this ordinance, the results of this monitoring shall be included in the report.

Sec. 19-666 Changed Conditions; Notices

- A. Each user must notify the Director of Public Works and the Control Authority of any planned significant changes to the user's operations or system which might alter the nature, quality, or volume of its wastewater a minimum of thirty (30) days prior to the change.
- B. The Director of Public Works may require the user to submit such information as may be deemed necessary to evaluate the changed condition, including the submission of a wastewater discharge permit application under Section 19-640 (A) of this ordinance.
- C. The Director of Public Works may issue a wastewater discharge permit under Section 19-642 of this ordinance or modify an existing wastewater discharge permit under Section 19-650 of this ordinance in response to changed conditions or anticipated changed conditions.
- D. For purposes of this requirement, significant changes include, but are not limited to, flow increases of 20% or greater, and the discharge of any previously unreported pollutants that are determined to be of concern.

Sec. 19-668. Accidental Discharge or Potential Problems; Report; Liability

- A. In the case of any discharge, including, but not limited to, accidental discharges, discharges of a non-routine, episodic nature, a non-customary batch discharge, or a slug load, that may cause potential problems for the POTW, the user shall immediately telephone and notify the City and the Control Authority of the incident. This notification shall include the location of the discharge, type of waste, concentration and volume, if known, and corrective actions taken by the user.
- B. Within five (5) days following that discharge, the user shall, unless waived by the Director of Public Works, submit a detailed written report describing the cause(s) of the discharge and the measures to be taken by the user to prevent similar future occurrences. Such notification shall not relieve the user of any expense, loss, damage, or other liability which may be incurred as a result of damage to the POTW, natural resources, or any other damage to person or property; nor shall this notification relieve the user of any fines, penalties, or other liability which may be imposed pursuant to this ordinance.
- C. A notice shall be permanently posted on the user's bulletin board or other prominent place advising employees whom to call in the event of a discharge described in paragraph A, above. Employers shall ensure that all employees, who may cause such a discharge to occur, are advised of the emergency notification procedure.
- D. Significant Industrial Users are required to notify the Director of Public Works immediately of any changes at their facilities affecting the potential for a Slug Discharge.

Sec. 19-670 Users Without Permit; Required Reports

All users not required to obtain a wastewater discharge permit shall provide appropriate reports to the Director of Public Works as the Director of Public Works may require.

Sec. 19-672. Notice of Violation; Repeat Sampling and Reporting

If sampling performed by a user indicates a violation, the user must notify the Director of Public Works within twenty-four (24) hours of becoming aware of the violation. The user shall also repeat the sampling and analysis and submit the results of the repeat analysis to the Director of Public Works within thirty (30) days after becoming aware of the violation. The user is not required to resample if the Director of Public Works monitors at the user's facility at least once a month, or if the Director of Public Works samples between the user's initial sampling and when the user receives the results of this sampling or if the Director of Public Works has performed the sampling and analysis in lieu of the user.

Sec. 19-674. Hazardous Waste Discharge; Notification

- A. Any user who commences the discharge of hazardous waste shall notify the POTW, the EPA Regional Waste Management Division Pretreatment Coordinator, and State hazardous waste authorities, in writing, of any discharge into the POTW of a substance which, if otherwise disposed of, would be a hazardous waste under 40 CFR § 261. Such notification must include the name of the hazardous waste as set forth in 40 CFR § 261, the EPA hazardous waste number, and the type of discharge (continuous, batch, or other). If the user discharges more than one hundred (100) kilograms of such waste per calendar month to the POTW, the notification also shall contain the following information to the extent such information is known and readily available to the user: an identification of the hazardous constituents contained in the wastes, an estimation of the mass and concentration of such constituents in the wastestream discharged during that calendar month, and an estimation of the mass of constituents in the wastestream expected to be discharged during the following twelve (12) months. All notifications must take place no later than one hundred and eighty (180) days after the discharge commences. Any notification under this division need be submitted only once for each hazardous waste discharged. However, notifications of changed conditions must be submitted under Section 19-666 of this ordinance. The notification requirement in this section does not apply to pollutants already reported by users subject to categorical pretreatment standards under the self-monitoring requirements of Sections 19-658, 19-662, and 19-664 of this ordinance.
- B. Dischargers are exempt from the requirements of paragraph A, above, during a calendar month in which they discharge no more than fifteen (15) kilograms of hazardous wastes, unless the wastes are acute hazardous wastes as specified in 40 CFR §§ 261.30(d) and 261.33(e). Discharge of more than fifteen (15) kilograms of nonacute hazardous wastes in a calendar month, or of any quantity of acute hazardous wastes as specified in 40 CFR §§ 261.30(d) and 261.33(e), requires a one-time notification. Subsequent months during which the user discharges more than such quantities of any hazardous waste do not require additional notification.
- C. In the case of any new regulations under Section 3001 of RCRA identifying additional characteristics of hazardous waste or listing any additional substance as a hazardous waste, the user must notify the Director of Public Works, the POTW, the EPA Regional Waste Management Waste Division Pretreatment Coordinator, and State hazardous waste authorities of the discharge of that substance within ninety (90) days of the effective date of such regulations.
- D. In the case of any notification made under this section, the user shall certify that it has a program in place to reduce the volume and toxicity of hazardous wastes generated to the degree it has determined to be economically practical.
- E. This provision does not create a right to discharge any substance not otherwise permitted to be discharged by this ordinance, a permit issued thereunder, or any applicable Federal or State law.

Sec. 19-676. Analytical and Sampling Standards

All pollutant analyses, including sampling techniques, to be submitted as part of a wastewater discharge permit application or report shall be performed in accordance with the techniques prescribed in 40 CFR § 136, and amendments thereto, unless otherwise specified in an applicable categorical pretreatment standard. If 40 CFR § 136 does not contain sampling or analytical techniques for the pollutant in question, or where the EPA determines that the Part 136 sampling and analytical techniques are inappropriate for the pollutant in question sampling and analyses shall be performed by using validated analytical methods or any applicable sampling and analytical procedures, including procedures suggested by the Director of Public Works, the EPA, TCEQ, or other parties approved by EPA.

Sec. 19-678. Sample Collection Techniques

- A. Except as indicated in paragraphs B and C of this section, the User must collect wastewater samples using 24-hour flow-proportional composite sampling techniques, unless time-proportional composite sampling or grab sampling is authorized by the Director of Public Works. Where time-proportional composite sampling or grab sampling is authorized by the City, the samples must be representative of the discharge. Using protocols (including appropriate preservation) specified in 40 CFR Part 136 and appropriate EPA guidance, multiple grab samples collected during a 24-hour period may be composited prior to the analysis as follows: for cyanide, total phenols, and sulfides the samples may be composited in the laboratory or in the field; for volatile organics and oil and grease, the samples may be composited in the laboratory. Composite samples for other parameters unaffected by the compositing procedures as documented in approved EPA methodologies may be authorized by the City, as appropriate. In addition, grab samples may be required to show compliance with Instantaneous Limits.
- B. Samples for oil and grease, temperature, pH, cyanide, phenols, sulfides, and volatile organic compounds must be obtained using grab collection techniques.
- C. For sampling required in support of baseline monitoring and 90-day compliance reports required in Sections 19-658 and 19-662 [40 CFR § 403.12(b) and (d)], a minimum of four (4) grab samples must be used for pH, cyanide, total phenols, oil and grease, sulfide and volatile organic compounds for facilities for which historical sampling data does not exist; for facilities for which historical sampling data are available, the Director of Public Works may authorize a lower minimum. For the reports required by Section 19-664 (40 CFR §§ 403.12(e) and 403.12(h)), the Industrial User is required to collect the number of grab samples necessary to assess and assure compliance with applicable Pretreatment Standards and Requirements.

Sec. 19-680. Timing

Written reports will be deemed to have been submitted on the date postmarked. For reports which are not mailed, postage prepaid, into a mail facility serviced by the United States Postal Service, the date of receipt of the report shall govern.

Sec. 19-682. Records Retention

Users subject to the reporting requirements of this chapter shall retain, and make available for inspection and copying, all records of information obtained pursuant to any monitoring activities required by this ordinance and any additional records of information obtained pursuant to monitoring activities undertaken by the user independent of such requirements, and documentation associated with Best Management Practices established in this ordinance. Records shall include the date, exact place, method, and time of sampling, and the name of the person(s) taking the samples; the dates analyses were performed; who performed the analyses; the analytical techniques or methods used; and the results of the analyses. These records shall remain available for a period of at least three (3) years. This period shall be automatically extended for the duration of any litigation concerning the user or the City, or where the user has been specifically notified of a longer retention period by the Director of Public Works.

Sec. 19-684. Right of Entry: Inspection and Sampling

- A. The Director of Public Works and/or the Control Authority, TCEQ, or EPA or their designated representative(s) shall have the right to enter the premises of any user to determine whether the user is complying with all requirements of this ordinance and any wastewater discharge permit or order issued hereunder. Users shall allow the inspecting or sampling person(s) ready access to all parts of the premises for the purposes of inspection, sampling, records examination and copying, and the performance of any additional duties.
- B. Where a user has security measures in force which require proper identification and clearance before entry into its premises, the user shall make necessary arrangements with its security guards so that, upon presentation of suitable identification, City, Control Authority, TCEQ, or EPA personnel will be permitted to enter without delay for the purposes of performing specific responsibilities.
- C. The Director of Public Works and/or Control Authority shall have the right to set up on the user's property, or require installation of such devices as are necessary, to conduct sampling and metering of the user's operations. **All sampling and analysis performed by the City and/or Control Authority to monitor compliance shall be at the expense of the industrial user.**
- D. The Director of Public Works may require the user to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the user at its own expense. All devices

used to measure wastewater flow and quality shall be calibrated, at a minimum, annually to ensure their accuracy.

- E. Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the user at the written or verbal request of the Director of Public Works and shall not be replaced. The costs of clearing the access shall be borne by the user.
- F. Unreasonable delays in allowing an inspecting or sampling person access to the user's premises shall be a violation of this ordinance.
- G. In accordance with 40 CFR § 403, the City shall inspect and monitor each Significant Industrial User a minimum of once per year. If the City elects to perform compliance monitoring for the Significant Industrial User then the City will monitor the industry a minimum of semiannually.
- H. The City shall inspect each NSCIU a minimum of once per year. If the City elects to perform compliance monitoring for the NSCIU then the City will monitor the industry a minimum of one time each permit cycle.

Sec. 19-686. Search Warrants

If the Director of Public Works and/or Control Authority has been refused or denied access to a building, structure, or property, or any part thereof, and is able to demonstrate probable cause to believe that there may be a violation of this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program of the City designed to verify compliance with this ordinance or any permit or order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the Director of Public Works and/or Control Authority may seek issuance of a search warrant from an appropriate court or judicial officer.

Sec. 19-688. Confidential Information

Information and data on a user obtained from reports, surveys, wastewater discharge permit applications, wastewater discharge permits, and monitoring programs, and from inspection and sampling activities, shall be available to the public without restriction, unless the user specifically requests, and is able to demonstrate to the satisfaction of the City or Control Authority, that the release of that information would divulge information, processes, or methods of production entitled to protection as trade secrets under applicable State law. Any such request must be asserted at the time of submission of the information or data. When requested and demonstrated by the user furnishing a report that the information should be held confidential, the portions of a report which might disclose trade secrets or secret processes shall only be available pursuant to the requirements of the Texas Public Information Act, but shall be made available immediately upon request to governmental agencies for uses related to the NPDES or TPDES program or

pretreatment program, and in enforcement proceedings involving the person furnishing the report. Wastewater constituents and characteristics, and other effluent data as defined by 40 CFR § 2.302, will not be recognized as confidential information and will be available to the public without restriction.

Sec. 19-690. Publication of Users in Significant Noncompliance

- A. The Director of Public Works shall publish annually, in a newspaper of general circulation that provides meaningful public notice within the jurisdictions served by the POTW, a list of the users which, at any time during the previous twelve (12) months, were in significant noncompliance with applicable pretreatment standards and requirements.
- B. The term Significant Noncompliance shall be applicable to all Significant Industrial Users (or any other Industrial User that violates paragraphs (3), (4), or (8) of this paragraph) and shall mean:
 - (1) Chronic violations of wastewater discharge limits, defined here as those in which sixty-six percent (66%) or more of all the measurements taken for the same pollutant parameter taken during a six- (6-) month period exceed (by any magnitude) a numeric Pretreatment Standard or Requirement, including Instantaneous Limits as defined in Sections 19-608 – 19-614;
 - (2) Technical Review Criteria (TRC) violations, defined here as those in which thirty-three percent (33%) or more of wastewater measurements taken for each pollutant parameter during a six- (6-) month period equals or exceeds the product of the numeric Pretreatment Standard or Requirement including Instantaneous Limits, as defined by Section 19-60-19-614 multiplied by the applicable criteria (1.4 for BOD, TSS, fats, oils and grease, and 1.2 for all other pollutants except pH);
 - (3) Any other violation of a Pretreatment Standard or Requirement as defined by Section 19-608 – 19-614 (Daily Maximum, long-term average, Instantaneous Limit, or narrative standard) that the Director of Public Works determines has caused, alone or in combination with other discharges, Interference or Pass Through, including endangering the health of POTW personnel or the general public;
 - (4) Any discharge of a pollutant that has caused imminent endangerment to the public or to the environment, or has resulted in the Director of Public Works exercise of its emergency authority to halt or prevent such a discharge;
 - (5) Failure to meet, within ninety (90) days of the scheduled date, a compliance schedule milestone contained in an individual wastewater discharge permit or enforcement order for starting construction, completing construction, or attaining final compliance;

- (6) Failure to provide within forty-five (45) days after the due date, any required reports, including baseline monitoring reports, reports on compliance with categorical Pretreatment Standard deadlines, periodic self-monitoring reports, and reports on compliance with compliance schedules;
- (7) Failure to accurately report noncompliance; or
- (8) Any other violation(s), which may include a violation of Best Management Practices, which the Director of Public Works determines will adversely affect the operation or implementation of the local pretreatment program.

Sec. 19-692. Notification of Violation; User Plan of Action

When the Director of Public Works finds that a user has violated, or continues to violate, any provision of this ordinance, a wastewater discharge permit or order issued hereunder, or any other pretreatment standard or requirement, the Director of Public Works may serve upon that user a written Notice of Violation. Within the time frame specified in this notice, an explanation of the violation and a plan for the satisfactory correction and prevention thereof, to include specific required actions, shall be submitted by the user to the Director of Public Works. Submission of this plan in no way relieves the user of liability for any violations occurring before or after receipt of the Notice of Violation. Nothing in this section shall limit the authority of the Director of Public Works to take any action, including emergency actions or any other enforcement action, without first issuing a Notice of Violation.

Sec. 19-694. Consent Order

The Director of Public Works may enter into a Consent Order, assurance of compliance, or a similar document establishing an agreement with any User responsible for noncompliance. Such documents shall include specific action to be taken by the User to correct the noncompliance within a time period specified by the document. Such documents shall have the same force and effect as the administrative orders issued pursuant to Sections 19-698 and 19-700 of this ordinance and shall be judicially enforceable. Issuance of a consent order shall not be a bar against, or a prerequisite for, taking any other action against the User.

Sec. 19-696. Show Cause Hearing

The Director of Public Works may order a user which has violated or continues to violate any provision of this ordinance, a wastewater discharge permit or order issued hereunder, or any other pretreatment standard or requirement, to appear before the Director of Public Works and show cause why the proposed enforcement action should not be taken. Notice shall be served on the user specifying the time and place for the meeting, the proposed enforcement action, the reasons for such action, and a request that the user show cause why the proposed enforcement

action should not be taken. The notice of the meeting shall be served personally or by registered or certified mail (return receipt requested) at least ten (10) days prior to the hearing. Such notice may be served on any Authorized Representative of the User. A show cause hearing shall not be a bar against, or prerequisite for, taking any other action against the user.

Sec. 19-698. Compliance Orders

When the Director of Public Works finds that a user has violated or continues to violate any provision of this ordinance, a wastewater discharge permit or order issued hereunder, or any other pretreatment standard or requirement, the Director of Public Works may issue an order to the user responsible for the discharge directing that the user come into compliance within a specified time. If the user does not come into compliance within the time provided, sewer service may be discontinued unless adequate treatment facilities, devices, or other related appurtenances are installed and properly operated. Compliance orders also may contain other requirements to address the noncompliance, including additional self-monitoring and management practices designed to minimize the amount of pollutants discharged to the sewer. A compliance order may not extend the deadline for compliance established for a pretreatment standard or requirement; nor does a compliance order relieve the user of liability for any violation, including any continuing violation. Issuance of a compliance order shall not be a bar against, or a prerequisite for, taking any other action against the user.

Sec. 19-700. Cease-and-Desist Orders

- A. When the Director of Public Works finds that a user has violated or continues to violate any provision of this ordinance, a wastewater discharge permit or order issued hereunder, or any other pretreatment standard or requirement, or that the user's past violations are likely to recur, the Director of Public Works may issue an order to the user directing it to cease and desist all such violations and directing the user to:
 - (1) Immediately comply with all requirements; and
 - (2) Take such appropriate remedial or preventive action as may be needed to properly address a continuing or threatened violation, including halting operations and/or terminating the discharge.
- B. Issuance of a cease-and-desist order shall not be a bar against, or a prerequisite for, taking any other action against the user.

Sec. 19-702. – Reserved

Sec. 19-704. Emergency Suspension of Discharge

- A. The Director of Public Works may immediately suspend a user's discharge, after informal notice to the user, whenever such suspension is necessary to stop an actual or

threatened discharge which reasonably appears to present or cause an imminent or substantial endangerment to the health or welfare of persons. The Director of Public Works may also immediately suspend a user's discharge, after notice and opportunity to respond, that threatens to interfere with the operation of the POTW, or which presents, or may present, an endangerment to the environment.

- (1) Any user notified of a suspension of its discharge shall immediately stop or eliminate its contribution. In the event of a user's failure to immediately comply voluntarily with the suspension order, the Director of Public Works may take such steps as deemed necessary, including immediate severance of the sewer connection, to prevent or minimize damage to the POTW, its receiving stream, or endangerment to any individuals. The Director of Public Works may allow the user to recommence its discharge when the user has demonstrated to the satisfaction of the Director of Public Works that the period of endangerment has passed, unless the termination proceedings in Section 19-706 of this ordinance are initiated against the user.
 - (2) A user that is responsible, in whole or in part, for any discharge presenting imminent endangerment shall submit a detailed written statement, describing the causes of the harmful contribution and the measures taken to prevent any future occurrence, to the Director of Public Works prior to the date of any show cause or termination hearing under Sections 19-696 or 19-706 of this ordinance.
- B. Nothing in this section shall be interpreted as requiring a hearing prior to any emergency suspension under this section.

Sec. 19-706 Termination of Discharge

- A. In addition to the provisions in Section 19-654 of this ordinance, any user who violates the following conditions is subject to discharge termination:
- (1) Violation of wastewater discharge permit conditions;
 - (2) Failure to accurately report the wastewater constituents and characteristics of its discharge;
 - (3) Failure to report significant changes in operations or wastewater volume, constituents, and characteristics prior to discharge;
 - (4) Refusal of reasonable access to the user's premises for the purpose of inspection, monitoring, or sampling; or
 - (5) Violation of the pretreatment standards in Sections 19-614 - 19-620 of this ordinance.

- B. Such users will be notified of the proposed termination of its discharge and be offered an opportunity to show cause under Section 19-696 of this ordinance why the proposed action should not be taken. Exercise of this option by the Director of Public Works shall not be a bar to, or a prerequisite for, taking any other action against the user.

Sec. 19-708. Injunctive Relief

When the Director of Public Works finds that a user has violated or continues to violate any provision of this ordinance, a wastewater discharge permit, or order issued hereunder, or any other pretreatment standard or requirement, the Director of Public Works may petition a court of competent jurisdiction through the City Attorney for the issuance of a temporary restraining order and temporary or permanent injunction, as appropriate, which restrains or compels the specific performance of the wastewater discharge permit, order, or other requirement imposed by this ordinance on activities of the user. The Director of Public Works may also seek such other action as is appropriate for legal and/or equitable relief, including a requirement for the user to conduct environmental remediation. A petition for injunctive relief shall not be a bar against, or a prerequisite for, taking any other action against a user.

Sec. 19-710. Civil Penalties

- (1) A user who has violated, or continues to violate, any provision of this ordinance, a wastewater discharge permit, or order issued hereunder, or any other pretreatment standard or requirement, shall be liable to the City for a maximum civil penalty of One Thousand Dollars (\$1,000) per violation, per day. In the case of a monthly or other long-term average discharge limit, penalties shall accrue for each day during the period of the violation.
- (2) The Director of Public Works may recover reasonable attorneys' fees, court costs, and other expenses associated with enforcement activities, including sampling and monitoring expenses, and the cost of any actual damages incurred by the City.
- (3) In determining the amount of civil liability, the Court shall take into account all relevant circumstances, including, but not limited to, the extent of harm caused by the violation, the magnitude and duration of the violation, any economic benefit gained through the user's violation, corrective actions by the user, the compliance history of the user, and any other factor as justice requires.
- (4) Filing a suit for civil penalties shall not be a bar against, or a prerequisite for, taking any other action against a user.

Sec. 19-712. Criminal Prosecution

- (1) A user who violates intentionally, knowingly, recklessly, or negligently any provision of this ordinance, a wastewater discharge permit, or order issued

hereunder, or any other pretreatment standard or requirement shall, upon conviction, be guilty of a misdemeanor, punishable by a fine of not more than Two Thousand Dollars (\$2,000) per violation, per day.

- (2) A user who intentionally, knowingly, recklessly, or negligently introduces any substance into the POTW which causes personal injury or property damage shall, upon conviction, be guilty of a misdemeanor and be subject to the same penalties described in Section 19-712 of this ordinance. This penalty shall be in addition to any other cause of action for personal injury or property damage available under State law.
- (3) A user who makes any false statements, representations, or certifications in any application, record, report, plan, or other documentation filed, or required to be maintained, pursuant to this ordinance, wastewater discharge permit, or order issued hereunder, or who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required under this chapter shall, upon conviction, be subject to the same penalties described in division Section 19-712 of this ordinance.
- (4) **CRIMINAL RESPONSIBILITY.** A person is criminally responsible for a violation of this ordinance if that person intentionally, knowingly, recklessly, or negligently:
 - (a) Commits or assists in the commission of a violation, or causes or permits another person to commit a violation, of this ordinance; or
 - (b) Owns or manages the property or facilities determined to be the cause of the illegal discharge under Sections 19-608, 19-610, 19-614, 19-628, or 19-632.

Sec. 19-714. Remedies Not Exclusive

The remedies provided for in this ordinance are not exclusive. The Director of Public Works may take any, all, or any combination of these actions against a noncompliant user. Enforcement of pretreatment violations will generally be in accordance with the City's enforcement response plan. However, the Director of Public Works may take other action against any user when the circumstances warrant. Further, the Director of Public Works is empowered to take more than one enforcement action against any noncompliant user.

Sec. 19-716. Applicability of More Stringent Regulations

- A. More Stringent Discharge Limits. If national pretreatment standards, categorical or otherwise, more stringent than the discharge limits prescribed in this article are promulgated by the United States Environmental Protection Agency for certain industries, the more stringent national pretreatment standards will apply to the affected

industrial user. A violation of the more stringent national pretreatment standards will also be considered a violation of this ordinance.

- B. Applicability of More Stringent Discharge Limits. An industrial user within the city who discharges industrial waste ultimately received and treated by another governmental entity pursuant to a wholesale wastewater contract or a reciprocal agreement with the city is subject to the following additional rules:
- (1) If the governmental entity has more stringent discharge limits than those prescribed by this ordinance, or by a discharge permit issued hereunder, because the United States Environmental Protection Agency requires the more stringent discharge limits as part of the governmental entity's wastewater pretreatment program, the more stringent discharge limits shall prevail.
 - (2) The Director of Public Works is authorized to issue a discharge permit to an industrial user affected by Subsection (1), to ensure notice of and compliance with the more stringent discharge limits. If the industrial user already has a discharge permit, the Director of Public Works may amend the permit to apply and enforce the more stringent discharge limits. An industrial user shall submit to the Director of Public Works an expected compliance date and an installation schedule if the more stringent discharge limits necessitate technological or mechanical adjustments to discharge facilities or plant processes.
 - (3) If the Director of Public Works chooses not to issue or amend a permit under Subsection (2), the Director of Public Works shall notify the affected industrial user in writing of the more stringent discharge limits and their effective date. Regardless of whether or not a permit is issued or amended, an industrial user shall be given a reasonable opportunity to comply with the more stringent discharge limits.
 - (4) The more stringent discharge limits cease to apply upon termination of the City's wholesale wastewater contract or reciprocal agreement with the governmental entity, or upon modification or elimination of the limits by the government entity or the United States Environmental Protection Agency. The Director of Public Works shall take the appropriate action to notify the affected industrial user of an occurrence under this Subsection (4).
- C. Variances in Compliance Dates. The Director of Public Works may grant a variance in compliance dates to an industry when, in the Director of Public Works's opinion, such action is necessary to achieve pretreatment or corrective measures. In no case shall the Director of Public Works grant a variance in compliance dates to an industry affected by national categorical pretreatment standards beyond the compliance dates established by the United States Environmental Protection Agency.
- D. Authority to Regulate. The Director of Public Works may establish regulations, not in conflict with this ordinance or other laws, to control the disposal and discharge of industrial waste into the wastewater system and to ensure compliance with the City's

pretreatment enforcement program with all applicable pretreatment regulations promulgated by the United States Environmental Protection Agency. The regulations established shall, where applicable, be made part of any discharge permit issued to an industrial user by the Director of Public Works.

Sec. 19-718. Best Management Practices

- A. The Director of Public Works may develop Best Management Practices (BMPs), and require Users to implement such BMPs if necessary to protect the POTW. Such BMPs would be supplemental and not used as a replacement for compliance with Local Limits listed in Section 19-620 and Prohibited Discharge Standards in Section 19-608.

Sec. 19-720. Regulation of Waste Received from Other Jurisdictions; Extrajurisdictional Users

1. Waste Received from Other Jurisdictions

- A. A municipality which contributes wastewater to the POTW, shall enter into an interlocal agreement with the City prior to contributing such wastewater.
- B. Prior to the City entering into an interlocal agreement as provided in subsection A, the City may request the following information from the contributing municipality:
 - (1) A description of the quality and volume of wastewater discharged to the POTW by the contributing municipality;
 - (2) An inventory of all users located within the contributing municipality that are discharging to the POTW; and
 - (3) Such other information as the City may deem necessary.

2. Extrajurisdictional Users

- A. An extrajurisdictional user shall apply for a permit in accordance with this ordinance at least ninety (90) days prior to discharging to the POTW.
- B. This section does not apply to extrajurisdictional users in jurisdictions which have an agreement with the City pursuant to Section 19-720(1).
- C. A wastewater discharge permit issued to an extrajurisdictional user shall be in the form of a contract, and must include, at a minimum, the components found in 40 CFR § 403.8(f)(1)(iii) and shall require the approval of the City's council. An extrajurisdictional user shall agree to all the terms of this ordinance and the terms of its wastewater discharging contract in accordance with the procedures set forth in Section 19-625 of this ordinance prior to discharging into the POTW.

Sec. 19-722. Act of God

- (1) An event that would otherwise be a violation that is caused solely by an act of God, war, strike, riot, or other catastrophe is not a violation.
- (2) In an enforcement proceeding, the user seeking to establish the occurrence of an act of God, war, strike, riot, or other catastrophe shall have the burden of proof.
- (3) In the event that an act of God, war, strike, riot, or other catastrophe has been established, the user shall control production of all discharges to the extent possible until such time as the reduction, loss, or failure of its treatment facility is restored or an alternative method of treatment is provided.

Sec. 19-724. Bypass

- (1) For the purpose of this section:
 - (a) “Bypass” means the intentional diversion of wastestreams from any portion of a user’s treatment facility.
 - (b) “Severe property damage” means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- (2) A user may allow any bypass to occur which does not cause pretreatment standards or requirements to be violated, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provision of subsections (3) and (4) of this paragraph.
- (3) Bypass Notifications
 - (a) If a user knows in advance of the need for a bypass, it shall submit prior notice to the Director of Public Works at least ten (10) days before the date of the bypass, if possible.
 - (b) A user shall submit oral notice to the Director of Public Works of an unanticipated bypass that exceeds applicable pretreatment standards within twenty-four (24) hours from the time it becomes aware of the bypass. A written submission shall also be provided within five (5) days of the time the user becomes aware of the bypass. The written submission shall contain a description of the bypass and its cause; the duration of the bypass, including exact dates and times, and, if the bypass has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the bypass. The Director of

Public Works may waive the written report on a case-by-case basis if the oral report has been received within twenty-four (24) hours.

(4) Bypass

(a) Bypass is prohibited, and the Director of Public Works may take an enforcement action against a user for a bypass, unless:

1. The bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
2. There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
3. The user submitted notices as required under subsection (3) of this paragraph.

(b) The Director of Public Works may approve an anticipated bypass, after considering its adverse effects, if the Director of Public Works determines that it will meet the three conditions listed in subsection (4)(a) of this paragraph.

Sec. 19-726. Reserved

Sec. 19-728. Pretreatment Charges and Fees; Surcharges

A. The City may adopt reasonable fees for reimbursement of costs of setting up and operating the City's pretreatment program, which may include:

- (1) Fees for wastewater discharge permit applications including the cost of processing the applications;
- (2) Fees for monitoring, inspection, and surveillance procedures including the cost of collection and analyzing a user's discharge, and reviewing monitoring reports submitted by users;
- (3) Fees for reviewing and responding to accidental discharge procedures and construction;
- (4) Fees for filing appeals;

- (5) Recovery of administrative and legal costs associated with enforcement activity taken by the Director of Public Works to address industrial user noncompliance.
- (6) Other fees as the City may deem necessary to carry out the requirements contained herein. These fees relate solely to the matters covered by this ordinance and are separate from all other fees, fines, and penalties chargeable by the City;
- (7) Fees for treating abnormal strength wastes; and
- (8) Fees incurred from an upset, bypass, or unauthorized discharge.

B. Surcharge

The City may surcharge industrial users for the treatment of abnormal strength wastes. Water or wastes having (1) a five-day biochemical oxygen demand greater than two hundred fifty (250) parts per million (ppm) by weight, or (2) containing more than two hundred fifty (250) parts per million by weight of total suspended solids, shall be subject to the review and approval of the Director of Public Works. Where the Director of Public Works has approved the admission of (1) and/or (2) above into the POTW, that discharge may be subject to a surcharge as determined by the Director of Public Works. In no case shall a discharge be accepted that will prevent the POTW from meeting its NPDES or TPDES limits.

- (1) The surcharge will be assessed according to the following formula each month using the most current pollutant concentration data and the current month's wastewater flow:

$$\text{Surcharge} = \frac{Q}{1,000,000} \times [a(\text{BOD} - x) + b(\text{TSS} - y)][8.34]$$

Where:

Q = flow in gallons

8.34 = weight in pounds of one gallon of water

x = normal limits of BOD in domestic wastewater expressed in milligrams per liter

y = normal limits of TSS in domestic wastewater expressed in milligrams per liter

a = unit cost of treatment per pound of BOD

b = unit cost of treatment per pound of TSS

- (2) A surcharge is an additional charge by the POTW for the increased cost of handling discharge of unusual strength and character and shall not serve as a variance to the requirements of this ordinance. Exercise of this provision shall not be a bar to, or a prerequisite for, taking any other action against the user.

Sec. 19-730. Severability

If any provision of this ordinance is invalidated, by any court of competent jurisdiction, the remaining provisions shall not be affected and shall continue in full force and effect.

Sec. 19-732. Repeal of Ordinance No. 1142

Ordinance No. 1142 is hereby repealed, except that such repeal shall not affect, limit or excuse the violation or enforcement of a violation of Ordinance No. 1142 arising prior to the effective date hereof.

Se. 19-734. Effective Date

These rules shall be in full force and effective ten (10) days after the date of final approval from the State.